

BATHROOM CATALOGUE 2021

/// MARTEC<sup>®</sup>
Heating
/// MARTEC<sup>®</sup>
Exhaust



After more than five decades Martec<sup>®</sup> has become one of Australia's leading providers of cooling, lighting, heating and exhaust products. Our focus has always been on providing our customers with the highest quality, best in class and competitively priced products and solutions to suit every lifestyle.

Martec<sup>®</sup> Heating and Martec<sup>®</sup> Exhaust offer an extensive range of bathroom heaters and exhaust fans to suit any bathroom sizes and applications.

Our bathroom heaters come in a wide variety from a single heat lamp unit like Uno and Contour 1, to slimline designed 3-in-1 heaters like Linear series. Along with different IPX rating and colour finishes enable our heaters to compliment any design scheme and environment at your home.

Our exhaust fans feature different sizes, IPX rating, shape and tricolour LED light option like the Flow and Saturn.




Providing Australia with high quality, value for money products for over 50 years.

#### The Martec® Promise

A strong commitment to the principles of quality, service and attention to detail ensures we transform these values into unique and dynamic outcomes that are second to none. In order to attain and maintain these objectives, Martec<sup>®</sup> has implemented a quality management process and system which meets the requirements of AS/NZS ISO 9001. In summary, Martec<sup>®</sup> is committed to providing an unrivalled product and service offer to its many valued customers.





# WARRANTY GUIDE

Please refer to specification sheet for additional warranty information.



**Bathroom Heaters** 2 Years In Home Warranty



**Exhaust Fans** 2 Years Replacement Warranty



**Accessories** 1 Year Replacement Warranty

# CONTENTS

#### **BATHROOM HEATERS**





LINEAR Page 6

VAPOUR Page 9



**ASPIRE** Page 11





PROFILE PANEL Page 15



Page 18

00

FORME

Page 20



Page 23

#### EXHAUST FANS



 $\bigcirc$ 



 $\land$ 

SATURN SQUARE

Page 31



CORE Page 32

FLOW ROUND Page 28

FLOW SQUARE Page 29

SATURN ROUND Page 30



JET Page 33

#### ACCESSORIES



BATHROOM HEATER REMOTE KIT Page 35









# BATHROOM HEATERS

 $Martec^{\circledast}$  bathroom heaters come in a wide variety from a simple single heat lamp unit, to slimline designed 3-in-1 heaters.

Along with different IPX rating and colour finishes enable our heaters to compliment any design scheme and environment at your home.





In Home Warranty

\*Excludes Heat Lamp

٢ High Performance Ball Bearing Motor

















# LINEAR



BATHROOM HEATER SPECIFICATIONS	
CUTOUT SIZE	450mm x 300mm
GRILL SIZE	500mm x 350mm
MINIMUM CEILING DEPTH REQUIRED	210mm
HEAT LAMP WATTAGE	1x1000W
AIRFLOW CUBIC METRE PER HR	600
LUMEN OUTPUT	2520
MODEL	ORDERING CODE
WHITE	MBHL1000W
SILVER	MBHL1000S



CONSUMABLE	ORDERING CODE
1000W Heat Globe	MRL1000W
6W GU10 Globe 3K	MBGU306
6W GU10 Globe 5K	MBGU506

#### **FEATURES**

- 1x 1000W R7s Halogen Heat globe
- 4 x 6W GU10 LED globes
- · Ball Bearing Motor • Quiet Operation

- 3 gang wall switch included
- Side ducting & external grill included
- Draft Stopper included Modern Slimline design

#### · Internal Thermal cut out safety switch

 MBHREM remote kit adaptable (not included) (see p.35 for details)









Warranty



Ľ	245mm
	245mm
	00
	350, 396mm

CONSUMABLE	ORDERING CODE
1000W Heat Globe	MRL1000W
6W GU10 Globe 3K	MBGU306
6W GU10 Globe 5K	MBGU506

#### FEATURES

BATHROOM HEATER SPECIFICATIONS

MINIMUM CEILING DEPTH REQUIRED

AIRFLOW CUBIC METRE PER HR

CUTOUT SIZE

HEAT LAMP WATTAGE

LUMEN OUTPUT

MODEL

WHITE

SILVER

GRILL SIZE

- 1x 1000W R7s Halogen Heat globe
- 3 x 6W GU10 LED globes
- Ball Bearing Motor
- Quiet Operation

- 3 gang wall switch included
- Side ducting & external grill included
- Draft Stopper included

350mm x 305mm

396mm x 350mm

250mm

1 x 1000W

480

1080

ORDERING CODE

MBHM1000W

MBHM1000S

Modern Slimline design

- Internal Thermal cut out safety switch
- MBHREM remote kit adaptable (not included) (see p.35 for details)









# VAPOUR



Home Warranty

cludes Heat Lamo

IPX2 Water Resistant





BATHROOM HEATER SPECIFICATIONS	
CUTOUT SIZE	523mm x 345mm
GRILL SIZE	540mm x 376mm
MINIMUM CEILING DEPTH REQUIRED	200mm
HEAT LAMP WATTAGE	2x 1000W
AIRFLOW CUBIC METRE PER HR	380m3/h
LUMEN OUTPUT	≥900lm
MODEL	ORDERING CODE
VAPOUR	MBHV2000W

#### FEATURES

- 2 x 1000W PTC heat elements
- 12W Tricolour LED light
- Ball Bearing Motor
- Quiet Operation

- 5 gang wall switch included
- Side ducting & external grill included
- Draft Stopper included
- Modern Slimline design





• Half Heat Function

- Internal Thermal cut out safety switch
- MBHREM remote kit adaptable (not included) (see p.35 for details)

BATHROOM















Ultra Low Profile

#### ASPIRE

	161.4mm	SIDE ELEVATION	3000K 500 Tricol
116.4mm		193mm	
+	550mm		



TOP VIEW ELEVATION

LUMEN OUTPUT	1569		
MODEL	ORDERING CODE	CONSUMABLE	ORDERING CODE
ASPIRE WHITE	MBHA800W	400W Heat Globe	MRL400W

#### **FEATURES**

BATHROOM HEATER SPECIFICATIONS

MINIMUM CEILING DEPTH REQUIRED

AIRFLOW CUBIC METRE PER HR

CUTOUT SIZE

HEAT LAMP WATTAGE

GRILL SIZE

- 2 x 400W Infrared heat tube
- · 20W Tricolour LED light
- · Ball Bearing Motor
- Quiet Operation

- 4 gang wall switch included
- · Side ducting & external grill included
- Draft Stopper included Modern Slimline design

523mm x 345mm

380mm x 550mm

210mm

2 x 400W

380

- Half Heat Function
- · Internal Thermal cut out safety switch
- MBHREM remote kit adaptable (not included) (see p.35 for details)





Profile Plus 2





int Radiant Heat


Ultra Low Profile

Home Warranty





BATHROOM HEATER SPECIFICATIONS	
CUTOUT SIZE	435mm x 255mm
GRILL SIZE	480mm x 300mm
MINIMUM CEILING DEPTH REQUIRED	210mm
HEAT LAMP WATTAGE	2 x 275W
AIRFLOW CUBIC METRE PER HR	460
LUMEN OUTPUT	1890
MODEL	ORDERING CODE
WHITE	MBHP2LW
SILVER	MBHP2LS



#### FEATURES

- 2 x 275W Heat lamp
- 3 x 6W LED 3000k GU10 lamp
- Ball Bearing Motor
- Quiet Operation

- 3 gang wall switch included
- · Side ducting & external grill included

6W GU10 Globe 5K

- Draft Stopper included
- Slim Profile design

- · Internal Thermal cut out safety switch
- MBHREM remote kit adaptable (not included) (see p.35 for details)

MBGU506
















BATHROOM HEATER SPECIFICATIONS	
CUTOUT SIZE	435mm x 275mm
GRILL SIZE	480mm x 360mm
MINIMUM CEILING DEPTH REQUIRED	210mm
HEAT LAMP WATTAGE	4 x 275W
AIRFLOW CUBIC METRE PER HR	460
LUMEN OUTPUT	2680
MODEL	ORDERING CODE
WHITE	MBHP4LW
SILVER	MBHP4LS



Profile Plus 4

460m<sup>3</sup>/hr

Maximum Airflow

CONSUMABLE	ORDERING CODE
275W Infrared Heat Lamp	MRL275W
6W GU10 Globe 3K	MBGU306
6W GU10 Globe 5K	MBGU506

## **FEATURES**

- 4 x 275W Heat lamp
- 4 x 6W LED 3000k GU10 lamp
- Ball Bearing Motor • Quiet Operation

- 4 gang wall switch included
- Side ducting & external grill included
- Draft Stopper included Slim Profile design

#### • Half Heat Function

- Internal Thermal cut out safety switch
- MBHREM remote kit adaptable (not included) (see p.35 for details)





#### **PROFILE PANEL 2**

Hard-wired Connection
Ø
Easy Side Vent Acces

iet Operation

imline Fitting

BATHROOM HEATER SPECIFICATIONS	
CUTOUT SIZE	435mm x 255mm
GRILL SIZE	480mm x 300mm
MINIMUM CEILING DEPTH REQUIRED	220mm
HEAT LAMP WATTAGE	2 x 275W
AIRFLOW CUBIC METRE PER HR	460
LUMEN OUTPUT	900
MODEL	ORDERING CODE
WHITE	MBHN2LW



- 2 x 275W Heat lamp
- 12W Tricolour LED light
- Ball Bearing MotorQuiet Operation

- 3 gang wall switch included
- Side ducting & external grill included
- Draft Stopper includedModern Slimline design

- Internal Thermal cut out safety switch
- MBHREM remote kit adaptable (not included) (see p.35 for details)














#### **PROFILE PANEL 4**

BATHROOM HEATER SPECIFICATIONS	
CUTOUT SIZE	435mm x 275mm
GRILL SIZE	480mm x 360mm
MINIMUM CEILING DEPTH REQUIRED	220mm
HEAT LAMP WATTAGE	4 X 275W
AIRFLOW CUBIC METRE PER HR	460
LUMEN OUTPUT	900
MODEL	ORDERING CODE
WHITE	MBHN4LW



- 4 x 275W Heat lamp
- 12W Tricolour LED light
- Ball Bearing Motor • Quiet Operation

- 4 gang wall switch included
- Side ducting & external grill included
- Draft Stopper included Slim Profile design

- Half Heat Function
- · Internal Thermal cut out safety switch
- · MBHREM remote kit adaptable (not included) (see p.35 for details)












#### UNO

BATHROOM HEATER SPECIFICATIONS	
SUPPLY VOLTAGE	230-240 a.c 50Hz
POWER RATING	275W
CEILING CUT OUT	155mm
PROJECTED INTO CEILING	215mm
REQUIRED CEILING DEPTH	315mm
FASCIA SIZE	180mm
FASCIA PROTRUSION	25mm
MODEL	ORDERING CODE
White	MBHU1LW





#### **FEATURES**

- Instant Powerful Heating
- Ideal for Bathrooms where instant heat is required
- Infrared lamps heart by direct radiation rather than heating air in the room
- · Heat Lamps to be installed directly over the drying area
- Not dimmable



275W Infrared Heat Lamp








#### FORME 2

375mm x 202mm
386mm x 215mm
197mm
2 X 275W
300
600
ORDERING CODE
MBHF2LW



- 2 x 275W Heat lamp
- 10W Tricolour LED light
- Ball Bearing Motor Quiet Operation

- 3 gang wall switch included • Side ducting & external grill included
  - Draft Stopper included
  - · Modern Slimline design

- · Internal Thermal cut out safety switch
- MBHREM remote kit adaptable (not included) (see p.35 for details)









FORME 4

320mm x 320mm
407mm x 340mm
202mm
4 X 275W
300
600
ORDERING CODE
MBHF4LW



275W Infrared Heat Lamp





- 4 x 275W Heat lamp
- 10W Tricolour LED light
- Ball Bearing MotorQuiet Operation

- 4 gang wall switch included
- Side ducting & external grill included
- Draft Stopper includedModern Slimline design

- Half Heat Function
- Internal Thermal cut out safety switch
- MBHREM remote kit adaptable (not included) (see p.35 for details)





#### **CONTOUR 1**



BATHROOM HEATER SPECIFICATIONS	
CUTOUT SIZE	166mm x 166mm
GRILL SIZE	210mm x 210mm
MINIMUM CEILING DEPTH REQUIRED	220mm
HEAT LAMP WATTAGE	275W
AIRFLOW CUBIC METRE PER HR	NA
MODEL	ORDERING CODE
WHITE	MBHC1LW
SILVER	MBHC1LS



CONSUMABLE 275W Infrared Heat Lamp

ORDERING CODE MRL275W

#### FEATURES

- Instant Infrared Heat lamp only
- 180mm minimum ceiling depth

• 1x 275W Heat lamp

• Slim Profile design





6 High Performance Ball Bearing Motor






Easy Side Ducting Access



# **CONTOUR 2**



BATHROOM HEATER SPECIFICATIONS	
CUTOUT SIZE	390mm x 220mm
GRILL SIZE	440mm x 285mm
MINIMUM CEILING DEPTH REQUIRED	220mm
HEAT LAMP WATTAGE	2 x 275W
AIRFLOW CUBIC METRE PER HR	240
MODEL	ORDERING CODE
WHITE	MBHC2LW
SILVER	MBHC2LS



Contour 2

240m<sup>3</sup>/hr Maximum Airflow

- 2 x 275W Heat lamp
- 1x 8w LED 3000k R80 lamp
- · Ball Bearing Motor • Quiet Operation

- 3 gang wall switch included
- Side ducting & external grill included
- Draft Stopper included

- Slim Profile design
- MBHREM remote kit adaptable (not included) (see p.35 for details)






Easy Side Ducting Access

#### **CONTOUR** 4



BATHROOM HEATER SPECIFICATIONS	
CUTOUT SIZE	300mm x 300mm
GRILL SIZE	400mm x 360mm
MINIMUM CEILING DEPTH REQUIRED	220mm
HEAT LAMP WATTAGE	4 x 275W
AIRFLOW CUBIC METRE PER HR	250
MODEL	ORDERING CODE
WHITE	MBHC4LW
SILVER	MBHC4LS



FEATURES	5
----------	---

- 2 year In home Warranty
- 300mm x 300mm Cut out size
- 400mm x 260mm Grill size
- 200mm minimum ceiling depth
- 4 x 275W Heat lamp

- 1x 8w LED 3000k R80 lamp
- Ball Bearing Motor
  - Quiet Operation
  - 4 gang wall switch included
  - Side ducting & external grill included
- Draft Stopper included
- Slim Profile design
- Half Heat Function
- MBHREM remote kit adaptable (not included) (see p.35 for details)





# EXHAUST FANS

00

Martec<sup>®</sup> exhaust fans feature different sizes, IPX rating, shape, and tricolour LED light option. Our exhaust fans are operated on high performance ball bearing motor with superior blade design for maximum air extraction – quiet operations. Plus, always supplied with flex and plug made installation easier.

Flow Round 250

290m<sup>3</sup>/hr

Maximum Airflow

Flow Round 300



Protected from Dripping Water

rranty

Replac







Ultra Low Profile
















BATHROOM HEATER SPECIFICATIONS	FLOW ROUND 250	FLOW ROUND 300	FLOW ROUND 250 WITH LIGHT	FLOW ROUND 300 WITH LIGHT
CUTOUT SIZE	240mm	295mm	240mm	295mm
GRILL SIZE	265mm	312mm	265mm	312mm
MINIMUM CEILING DEPTH REQUIRED	180mm	180mm	180mm	180mm
AIRFLOW CUBIC METRE PER HR	290	390	290	390
LUMEN OUTPUT	-	-	800	800
MODEL			ORDERING CODE	
WHITE	MXFFR25W	MXFFR30W	MXFLFR25W	MXFLFR30W


#### FEATURES

- · Ball bearing motor
- Draft stopper included


- Quiet operation
- Low profile design

• Light model includes 12W Tricolour LED









BATHROOM HEATER SPECIFICATIONS	FLOW SQUARE 250	FLOW SQUARE 300	FLOW SQUARE 250 WITH LIGHT	FLOW SQUARE 300 WITH LIGHT
CUTOUT SIZE	240mm	295mm	240mm	295mm
GRILL SIZE	275mm x 275mm	305mm x 305mm	275mm x 275mm	305mm x 305mm
MINIMUM CEILING DEPTH REQUIRED	180mm	180mm	180mm	180mm
AIRFLOW CUBIC METRE PER HR	290	390	290	390
LUMEN OUTPUT	-	-	800	800
MODEL			ORDERING CODE	
WHITE	MXFFS25W	MXFFS30W	MXFLFS25W	MXFLFS30W

#### FEATURES

- Ball bearing motor
- Draft stopper included

- Quiet operation
- Low profile design

• Light model includes 12W Tricolour LED



BATHROOM HEATER SPECIFICATIONS	SATURN ROUND 25W	SATURN ROUND 28W	SATURN ROUND 200 WITH LIGHT	SATURN ROUND 250 WITH LIGHT
CUTOUT SIZE	240mm	295mm	240mm	295mm
GRILL SIZE	270mm	325mm	275mm	335mm
MINIMUM CEILING DEPTH REQUIRED	220mm	220mm	220mm	220mm
AIRFLOW CUBIC METRE PER HR	270	320	281	443
LUMEN OUTPUT	-	-	900lm/1050lm/900lm	1200lm/1400lm/1200lm
FAN BLADE SIZE DIAMETER	124mm	144mm	124mm	144mm
MODEL			ORDERING CODE	
WHITE	MXFSR20W	MXFSR25W	MXFSLR20W	MXFSLR25W
MATT BLACK			MXFSLR20M	MXFSLR25M

- DIY high velocity exhaust fan with fitted back draft damper
- Turbo cylinder fan blade design for powerful air-steam extraction
- Exhaust fan with removable easy clean cover
- Ultra quiet ball bearing motor
- · Easy installation clamps to fit and secure fan into ceiling
- 150mm diameter side ducting for easy duct installation
- · Self sealing exhaust damper to prevent drafts
- 0.9 Metre flex and 3 pin plug
- Requires a separate switched surface socket for DIY installation
- · Complete with white fascia plate



SATURN SQUARE



# Quiet Operation

Flex & Pluc



SATURN 325MM - Square



#### FEATURES

 DIY high velocity exhaust fan with fitted back draft damper

BATHROOM EXHAUST FAN SPECIFICATIONS

MINIMUM CEILING DEPTH REQUIRED

AIRFLOW CUBIC METRE PER HR

FAN BLADE SIZE DIAMETER

CUTOUT SIZE

GRILL SIZE

MODEL

WHITE

- Turbo cylinder fan blade design for powerful air-steam extraction
- Exhaust fan with removable easy clean cover
- Ultra quiet ball bearing motor

ORDERING CODE

SATURN SQUARE 25W

240mm

270mm

220mm

270

124mm

MXFSS20W

• Easy installation clamps to fit and secure fan into ceiling

SATURN SQUARE 28W

295mm

325mm

220mm

320

144mm

MXFSS25W

- 150mm diameter side ducting for easy duct installation
- · Self sealing exhaust damper to prevent drafts
- 0.9 Metre flex and 3 pin plug
- Requires a separate switched surface socket for DIY installation
- · Complete with white fascia plate

Core 200

310m<sup>3</sup>/hr

Maximum Airflow

Core 250

540m<sup>3</sup>/hr

Maximum Airflow





CORE

**CORE 250** 

290mm diameter

358mm

220~240V - AC - 50Hz

35W

<51 dB(A)

540

Double insulation

ORDERING CODE


MXFC25W

CORE 200

Dia 266mm

Dia 240mm

CORE 250
Dia 318mm
Dia 290mm
<b>_</b>





**FEATURES** 

BATHROOM EXHAUST FAN SPECIFICATIONS

- Traditional design exhaust fan
- · High air extraction

· Long life ball bearing motor

DIY flex and 3 pin plug included DIY flex and 3 pin plug included

• Quiet operation

CORE 200

240mm diameter

300mm

25W

<43 dB(A)

310

Double insulation

ORDERING CODE

MXFC20W

220~240V - AC - 50Hz

- DIY plug and lead included
- · Easy to clean removable grill

Energy Efficient















CUTOUT SIZE

BALL BEARING MOTOR

AIRFLOW CUBIC METRE PER HR

NOISE LEVEL (Db)

DIY FLEX AND PLUG

INSULATION

MODEL

WHITE

GRILL SIZE

VOLTAGE

Jet 250 / Jet 300











**DIY Flex & Plug** 

JET

BATHROOM HEATER SPECIFICATIONS	JET 250	JET 300
CUTOUT SIZE	242mm	295mm
GRILL SIZE	272mm	326mm
MINIMUM CEILING DEPTH REQUIRED	180mm	180mm
HEAT LAMP WATTAGE	-	-
AIRFLOW CUBIC METRE PER HR	350	350
MODEL	ORDERING CODE	
WHITE	MXFJ25W	MXFJ30W





# FEATURES

- Ball bearing motor
- Draft stopper included

• Quiet operation

• 1 metre flex and plug for DIY installation

# ACCESSORIES

Martec<sup>®</sup> offers a range of accessory that is compatible to our heating and exhaust fans products. Check this out on our website MARTECAUSTRALIA.COM.AU







# BATHROOM HEATER LCD REMOTE CONTROL KIT

Making installation simpler and for installations where additional wiring to a switch is not possible.

ORDERING CODE

Martec® Bathroom Heater LCD Remote Control Kit MBHREM

- Easy to use LCD Screen
- Up to 30m range
- Multiple Frequencies when there
  are multiple units in the one house
- Designed to take up to 1900W
   For use with Martec<sup>®</sup> 2 Heat
  - or 4 Heat units as well as Linear and Aspire
- Full or half heat function on 4 heat models only
- Includes 9 Volt Battery

# WE'RE MORE THAN JUST **HEATERS** & **EXHAUST FANS...**

Whether it is ceiling fans, LED lighting, bathroom heaters or exhaust fans. Martec® will always have the highest quality, best in class and competitively priced solutions to suit every lifestyle.

# CONTACT

#### MONDAY TO FRIDAY

Warehouse hours: 7:30am – 3:30pm

Office hours: 8:00am – 4:00pm

(02) 8778 7500





*O* sales@martecltd.com.au

www.martecaustralia.com.au



Martec® is constantly developing and improving its products. All descriptions, illustrations, drawings and specifications in this publication present only general particulars and shall not form part of any contract. Air movements figures quoted are guide only. All measurements are in millimetres unless otherwise stated.



For In Home Warranty, please visit website for details https://www.martecaustralia.com.au/warranty-statement/

The right is reserved to change specifications without prior notification or public announcement. All goods supplied by the company are supplied subject to the company's General Conditions of Sale, a copy of which is available on request.



6 Austool Place Ingleburn NSW 2565 (02) 8778 7500 sales@martecltd.com.au www.martecaustralia.com.au