# FAN CATALOGUE
2021-2022

MARTEC®
Cooling

tRu
beauty...

MARTEC®

Innovation | Durability | Quality

# Providing Australia with high quality, value for money products for over 50 years.

After more than five decades Martec® has become one of Australia's leading providers of cooling, lighting, heating and exhaust products. Our focus has always been on providing our customers with the highest quality, best in class and competitively priced products and solutions to suit every lifestyle.

Our relentless dedication to continuing development, puts Martec® at the forefront of innovation and design. With the latest technology, Martec® now offers an exciting and comprehensive range of energy efficient, super quiet DC fans like the newly released - METRO and VIPER which are designed to suit any applications.

## The Martec® Promise

A strong commitment to the principles of quality, service and attention to detail ensures we transform these values into unique and dynamic outcomes that are second to none. In order to attain and maintain these objectives, Martec® has implemented a quality management process and system which meets the requirements of AS/NZS ISO 9001. In summary, Martec® is committed to providing an unrivalled product and service offer to its many valued customers.

# CEILING FAN SIZE GUIDE




| Room Dimensions | Suggested Ceiling Fan Size |
|---|---|
| Up to 12 square metres (3.5m x 3.5m) **Small bedroom** | 1067mm (42”) |
| Up to 18 square metres (4m x 4.5m) **Medium bedroom / small living area** | 1220mm (48”) |
| Up to 30 square metres (5m x 6m) **Large bedroom / large living area** | 1320mm (52”) |
| Up to 40 square metres (6.5m x 6.5m) **Rumpus room / large living area** | 1420mm (56”) |

# WARRANTY GUIDE

**6* YEAR**

### Martec® Ceiling Fans

*3 Year In-home + additional 3 Years on the motor only

**6* YEAR**

### FourSeasons Ceiling Fans

*3 Year In-home + additional 3 Years on the motor only

**1 YEAR**

### Remote Control Kits

1 Year In-home warranty

Please refer to specification sheet for additional warranty information.

# CONTENTS

## DC CEILING FANS

METRO DC
Page 6

VIPER DC
Page 10

NEWPORT DC
Page 12



MALIBU DC
Page 16

WAVE DC
Page 18

SCORPION DC
Page 20

ALBATROSS DC
Page 24

ALBATROSS MINI DC
Page 26

LINK DC
Page 30

LIFESTYLE DC
Page 32



ZODIAC DC
Page 34


## AC CEILING FANS

ELITE AC
Page 38

GOVERNOR AC
Page 40

TRIUMPH AC
Page 44

FLUSH AC
Page 46

CRUISE AC
Page 48

DISCOVERY AC
Page 50

LIBERTY AC
Page 52

LINK AC
Page 54

LIFESTYLE AC
Page 58

LIFESTYLE MINI AC
Page 60

RAZOR AC
Page 62

OASIS | HAMILTON AC
Page 64



PRECISION AC
Page 66

ALPHA AC
Page 68

TRISERA AC
Page 70


## ACCESSORIES

REMOTE CONTROL KIT
Page 74

LCD REMOTE CONTROL KIT
Page 74

INFRA-RED REMOTE CONTROL KIT
Page 75

SMART REMOTE CONTROL KIT
Page 75

Metro - PG 6

# DC CEILING FANS

## ADVANTAGES OF DC MOTOR CEILING FANS

| | |
|---|---|
| **High Efficiency** | DC motors on average consume less energy than conventional ceiling fan motors. |
| **Speed Control** | DC motor controllers provide up to 6 speed settings and an easy to use reversing function for summer and winter operation. |
| **Light Weight** | DC motors weigh less than conventional fan motors, resulting in a lighter product that is easier to install for electricians. |
| **Quiet Operation** | DC motors are very quiet when in operation, ideal for bedrooms. |
| **Remote Control** | DC ceiling fans can only be operated via a DC remote control (supplied). |

# METRO DC

Matt Black

## FAN ONLY

White Satin

## FAN LED LIGHT

Matt Black

White Satin

6 YEAR Warranty

35W DC Motor

5 Speed DC / 8hr Timer Quick Connect Remote Control

Summer/Winter Reverse Function

12° Blade Pitch

Indoor Cover Outdoor Use

3000K 4000K 5000K Tricolour

3 Step Switch Dimming



For more product information please visit our website.

Metro 1320mm 52”

**14,200m³/hr**
Maximum Airflow

## FEATURES

- Brushless quiet and efficient 35W DC motor
- Low profile and contemporary style ideal for indoor and covered outdoor applications
- Metal body and canopy with 3 ABS blades
- Air movement up to 14,200m³/hr
- Blade pitch 12°
- Must be installed on a flat level surface
- Fully reversible for summer and winter mode from remote control
- Supplied with 5 speed remote control and timer with up to 8 hour timer control mode
- 15W tricolour LED with 3 step switch dimming
- Switchable colour temperature between 3000K, 4000K & 5000K

## SPECIFICATIONS

| BLADE DIAMETER | 1320mm 52” |
|---|---|
| FAN ONLY | |
| HEIGHT | 222mm |
| FAN LED LIGHT | |
| HEIGHT | 248mm |
| LUMEN OUTPUT | 1650lm |
| **MODEL** | **ORDERING CODE** |
| FAN ONLY | |
| WHITE SATIN | MMDC133WSR |
| MATT BLACK | MMDC133MMR |
| FAN LED LIGHT | |
| WHITE SATIN | MMDC1333WSR |
| MATT BLACK | MMDC1333MMR |

## DIMENSIONS

### FAN ONLY




### FAN LED LIGHT



Viper - PG 10

# VIPER DC

Matt Black

## FAN ONLY

White Satin

## FAN LED LIGHT

Matt Black

White Satin

6 YEAR Warranty

40W DC Motor

Summer/Winter Reverse Function

5 Speed DC / 8hr Timer Quick Connect Remote Control

14° Blade Pitch

Indoor Use Only

3000K 4000K 5000K Tricolour

3 Step Switch Dimming



For more product information please visit our website.

Viper 1320mm 52”

**17,640m³/hr**
Maximum Airflow

## FEATURES

- Brushless quiet and efficient 40W DC motor
- Low profile designed ideal for indoor applications
- ABS body and canopy with polycarbonate lens cover
- Air movement up to 17,640m³/hr
- Blade pitch 14°
- Hangsure canopy up to 15° maximum
- Fully reversible for summer and winter mode from remote control
- Supplied with 5 speed remote control and timer with up to 8 hour timer control mode
- 15W tricolour LED with 3 step switch dimming
- Switchable colour temperature between 3000K, 4000K & 5000K

## SPECIFICATIONS

| BLADE DIAMETER | 1320mm 52” |
|---|---|
| FAN ONLY | |
| HEIGHT | 272mm |
| FAN LED LIGHT | |
| HEIGHT | 300mm |
| LUMEN OUTPUT | 2120lm |
| **MODEL** | **ORDERING CODE** |
| FAN ONLY | |
| WHITE SATIN | MVDC133WSR |
| MATT BLACK | MVDC133MMR |
| FAN LED LIGHT | |
| WHITE SATIN | MVDC1333WSR |
| MATT BLACK | MVDC1333MMR |

## ACCESSORIES

| ACCESSORIES | ORDERING CODE |
|---|---|
| 900mm Downrod White Satin 25mm dia | MDRD36WST |
| 900mm Downrod Matt Black 25mm dia | MDRD36MT |
| 1800mm Downrod White Satin 25mm dia | MDRD72WST |
| 1800mm Downrod Matt Black 25mm dia | MDRD72MT |

## DIMENSIONS

### FAN ONLY




### FAN LED LIGHT



# NEWPORT DC

Matt Black

## FAN ONLY

Walnut

White

## FAN LED LIGHT

Matt Black

Walnut

White

6 YEAR
Warranty

35W
DC Motor

5 Speed
DC / 8hr Timer
Quick Connect
Remote Control

Summer/Winter
Reverse
Function

20°
Blade Pitch

Slope up to 10°
Hangsure
Canopy

Indoor Cover
Outdoor Use

Tropical
Rated

3000K 4000K 5000K
Tricolour

3 Step Switch
Dimming



For more product information please visit our website.

Newport 1420mm 56"

**13,000m³/hr**
Maximum Airflow

## FEATURES

- Brushless quiet and efficient 35W DC motor
- Low profile and contemporary style ideal for indoor and covered outdoor applications
- Metal body and canopy with 3 ABS blades
- Air movement up to 13,000m³/hr
- Blade pitch 20°
- Hangsure canopy up to 10° maximum
- Fully reversible for summer and winter mode from remote control
- Supplied with 5 speed remote control and timer with up to 8 hour timer control mode
- 15W tricolour LED with 3 step switch dimming
- Switchable colour temperature between 3000K, 4000K & 5000K

## SPECIFICATIONS

| BLADE DIAMETER | 1420mm 56" |
|---|---|
| FAN ONLY | |
| HEIGHT | 264mm |
| FAN LED LIGHT | |
| HEIGHT | 272mm |
| LUMEN OUTPUT | 1780lm |
| **MODEL** | **ORDERING CODE** |
| FAN ONLY | |
| WALNUT | MNF1430WR |
| WHITE | MNF143WWR |
| MATT BLACK | MNF143MMR |
| FAN LED LIGHT | |
| WALNUT | MNF1433OWR |
| WHITE | MNF1433WWR |
| MATT BLACK | MNF1433MMR |

## ACCESSORIES

| ACCESSORIES | ORDERING CODE |
|---|---|
| 900mm Downrod White Satin 25mm dia | MDRD36WST |
| 900mm Downrod Old Bronze 25mm dia | MDRD360T |
| 900mm Downrod Matt Black 25mm dia | MDRD36MT |
| 1800mm Downrod White Satin 25mm dia | MDRD72WST |
| 1800mm Downrod Old Bronze 25mm dia | MDRD720T |
| 1800mm Downrod Matt Black 25mm dia | MDRD72MT |

## DIMENSIONS

### FAN ONLY




### FAN LED LIGHT



Malibu DC - PG 16

# MALIBU DC

Matt Black/Bamboo

## FAN ONLY

White

Matt Black

Matt Black/Walnut

## FAN LED LIGHT

White

Matt Black

Matt Black/Bamboo

Walnut

Warranty

DC Motor

DC / 8hr Timer
Quick Connect
Remote Control

Summer/Winter
Reverse
Function

Blade Pitch

Hangsure
Canopy

Indoor Cover
Outdoor Use

Tropical
Rated

Tricolour

3 Step Switch
Dimming



For more product information please visit our website.

Malibu 1320mm 52”

**10,200m³/hr**
Maximum Airflow

## FEATURES

- Brushless quiet and efficient 32W DC motor
- Slimline designed ideal for indoor and covered outdoor applications
- Metal body and canopy with 3 ABS blades
- Air movement up to 10,200m³/hr
- Blade pitch 20°
- Hangsure canopy up to 15° maximum
- Fully reversible for summer and winter mode from remote control
- Supplied with 5 speed remote control and timer with up to 8 hour timer control mode
- 15W tricolour LED with 3 step switch dimming
- Switchable colour temperature between 3000K, 4000K & 5000K

## SPECIFICATIONS

| BLADE DIAMETER | 1320mm 52” |
|---|---|
| FAN ONLY | |
| HEIGHT | 272mm |
| FAN LED LIGHT | |
| HEIGHT | 307mm |
| LUMEN OUTPUT | 1650lm |
| **MODEL** | **ORDERING CODE** |
| FAN ONLY | |
| WHITE | MMF133WWR |
| MATT BLACK | MMF133MMR |
| WALNUT | MMF1330WR |
| MATT BLACK/BAMBOO | MMF133MBR |
| FAN LED LIGHT | |
| WHITE | MMF1333WWR |
| MATT BLACK | MMF1333MMR |
| WALNUT | MMF13330WR |
| MATT BLACK/BAMBOO | MMF1333MBR |

## ACCESSORIES

| ACCESSORIES | ORDERING CODE |
|---|---|
| 900mm Downrod White Satin 25mm dia | MDRD36WST |
| 900mm Downrod Old Bronze 25mm dia | MDRD360T |
| 900mm Downrod Matt Black 25mm dia | MDRD36MT |
| 1800mm Downrod White Satin 25mm dia | MDRD72WST |
| 1800mm Downrod Old Bronze 25mm dia | MDRD720T |
| 1800mm Downrod Matt Black 25mm dia | MDRD72MT |

## DIMENSIONS

### FAN ONLY




### FAN LED LIGHT



# WAVE DC

White Satin

## FAN ONLY

Matt Black

## FAN LED LIGHT

White Satin

Matt Black

6 YEAR Warranty

35W DC Motor

5 Speed DC / 8hr Timer Quick Connect Remote Control

Summer/Winter Reverse Function

13° Blade Pitch

Slope up to 15° Hangsure Canopy

Indoor Cover Outdoor Use

3000K 4000K 5000K Tricolour

3 Step Switch Dimming



For more product information please visit our website.

Wave 1320mm 52"

**12,500m³/hr**
Maximum Airflow

Wave 1520mm 60"

**13,500m³/hr**
Maximum Airflow

## FEATURES

- Brushless quiet and efficient 35W DC motor
- Slimline designed ideal for large living areas and covered outdoor applications
- Metal body and canopy with 3 ABS blades
- Air movement up to 12,500m³/hr (1320mm) and 13,500m³/hr (1520mm)
- Blade pitch 13°
- Hangsure canopy up to 15° maximum
- Fully reversible for summer and winter mode from remote control
- Supplied with 5 speed remote control and timer with up to 8 hour timer control mode
- 18W tricolour LED with 3 step switch dimming
- Switchable colour temperature between 3000K, 4000K & 5000K

## SPECIFICATIONS

| BLADE DIAMETER | 1320MM 52" | 1520MM 60" |
|---|---|---|
| FAN ONLY | | |
| HEIGHT | 342MM | 342MM |
| FAN LED LIGHT | | |
| HEIGHT | 348MM | 348MM |
| LUMEN OUTPUT | 1780LM | 1780LM |
| **MODEL** | | **ORDERING CODE** |
| FAN ONLY | | |
| MATT BLACK | MWF133MMR | MWF163MMR |
| WHITE SATIN | MWF133WSR | MWF163WSR |
| FAN LED LIGHT | | |
| MATT BLACK | MWF1333MMR | MWF1633MMR |
| WHITE SATIN | MWF1333WSR | MWF1633WSR |

## ACCESSORIES

| ACCESSORIES | ORDERING CODE |
|---|---|
| 900mm Downrod Matt Black | MDRD36M |
| 900mm Downrod White Satin | MDRD36WS |
| 1800mm Downrod Matt Black | MDRD72M |
| 1800mm Downrod White Satin | MDRD72WS |

## DIMENSIONS

### FAN ONLY




### FAN LED LIGHT



# SCORPION DC

White Satin

## FAN ONLY

Brushed Nickel

Matt Black

## FAN LED LIGHT

Brushed Nickel

White Satin

Matt Black

6 YEAR Warranty

35W DC Motor

5 Speed DC / 8hr Timer Quick Connect Remote Control

Summer/Winter Reverse Function

13° Blade Pitch

Slope up to 15° Hangsure Canopy

Indoor Cover Outdoor Use

Tropical Rated

3000K 4000K 5000K Tricolour

3 Step Switch Dimming



For more product information please visit our website.

Scorpion 1320mm 52"

**13,200m³/hr**
Maximum Airflow

## FEATURES

- Brushless quiet and efficient 35W DC motor
- Robust industrial designed ideal for indoor and covered outdoor applications
- Metal body and canopy with 3 ABS blades
- Air movement up to 13,200m³/hr
- Blade pitch 13°
- Hangsure canopy up to 15° maximum
- Fully reversible for summer and winter mode from remote control
- Supplied with 5 speed remote control and timer with up to 8 hour timer control mode
- 20W tricolour LED with 3 step switch dimming
- Switchable colour temperature between 3000K, 4000K & 5000K

## SPECIFICATIONS

| BLADE DIAMETER | 1320mm 52" |
|---|---|
| FAN ONLY | |
| HEIGHT | 310mm |
| FAN LED LIGHT | |
| HEIGHT | 390mm |
| LUMEN OUTPUT | 1850lm |
| **MODEL** | **ORDERING CODE** |
| FAN ONLY | |
| MATT BLACK | MSF133MR |
| WHITE SATIN | MSF133WR |
| BRUSHED NICKEL | MSF133BR |
| FAN LED LIGHT | |
| MATT BLACK | MSF1333MR |
| WHITE SATIN | MSF1333WR |
| BRUSHED NICKEL | MSF1333BR |

## ACCESSORIES

| ACCESSORIES | ORDERING CODE |
|---|---|
| 900mm Downrod Matt Black | MDRD36M |
| 900mm Downrod White Satin | MDRD36WS |
| 900mm Downrod Brushed Nickel | MDRD36N |
| 1800mm Downrod Matt Black | MDRD72M |
| 1800mm Downrod White Satin | MDRD72WS |
| 1800mm Downrod Brushed Nickel | MDRD72N |

## DIMENSIONS

### FAN ONLY




### FAN LED LIGHT



Albatross DC - PG 24

# ALBATROSS DC

Matt Black

## FAN ONLY

White

Brushed Nickel

## FAN LED LIGHT

White

Matt Black

Brushed Nickel

6 YEAR
Warranty

35W
DC Motor

5 Speed
DC / 8hr Timer
Quick Connect
Remote Control

Summer/Winter
Reverse
Function

17°
Blade Pitch

Slope up to 15°
Hangsure
Canopy

Indoor Cover
Outdoor Use

Tropical
Rated

3000K 4000K 5000K
Tricolour

3 Step Switch
Dimming



For more product information please visit our website.

Albatross 1800mm 72"

**15,600m³/hr**
Maximum Airflow

Albatross 2100mm 84"

**16,800m³/hr**
Maximum Airflow

## FEATURES

- Brushless quiet and efficient 35W DC motor
- Robust designed ideal for large living areas, alfresco and covered outdoor applications
- Air movement up to 15,600m³/hr (1800mm) and 16,800m³/hr (2100mm)
- Blade pitch 17°
- Hangsure canopy up to 15° maximum
- Fully reversible for summer and winter mode from remote control
- Supplied with 5 speed remote control and timer with up to 8 hour timer control mode
- 24W tricolour LED with 3 step switch dimming
- Switchable colour temperature between 3000K, 4000K & 5000K

## SPECIFICATIONS

| BLADE DIAMETER | 1800mm 72" | 2100mm 84" |
|---|---|---|
| FAN ONLY | | |
| HEIGHT | 335mm | 335mm |
| FAN LED LIGHT | | |
| HEIGHT | 385mm | 385mm |
| LUMEN OUTPUT | 2000lm | 2000lm |
| **MODEL** | | **ORDERING CODE** |
| BLADE SET | 1800MM | 2100MM |
| MATT BLACK | MAF180M | MAF210M |
| WHITE | MAF180W | MAF210W |
| BRUSHED NICKEL | MAF180B | MAF210B |
| | MOTOR ONLY | MOTOR LED LIGHT |
| MATT BLACK | MAFMMR | MAFML3MR |
| WHITE | MAFMWR | MAFML3WR |
| BRUSHED NICKEL | MAFMBR | MAFML3BR |

*Please order blade set and motor for a complete unit, they are sold separately.

## ACCESSORIES

| ACCESSORIES | ORDERING CODE |
|---|---|
| 900mm Downrod Matt Black | MDRD36M |
| 900mm Downrod White | MDRD36W |
| 900mm Downrod Brushed Nickel | MDRD36N |
| 1800mm Downrod Matt Black | MDRD72M |
| 1800mm Downrod White | MDRD72W |
| 1800mm Downrod Brushed Nickel | MDRD72N |

## DIMENSIONS

### FAN ONLY




### FAN LED LIGHT



# ALBATROSS MINI DC

Matt Black

**FAN ONLY**

White

Brushed Nickel

6 YEAR Warranty

35W DC Motor

5 Speed DC / 8hr Timer Quick Connect Remote Control

Summer/Winter Reverse Function

17° Blade Pitch

Slope up to 15° Hangsure Canopy

Indoor Cover Outdoor Use

Tropical Rated



For more product information please visit our website.

Albatross Mini 1650mm 65”

**14,400m³/hr**
Maximum Airflow

## FEATURES

- Brushless quiet and efficient 35W DC motor
- Robust designed ideal for indoor and covered outdoor applications
- Air movement up to 14,400m³/hr
- Blade pitch 17°
- Hangsure canopy up to 15° maximum
- Fully reversible for summer and winter mode from remote control
- Supplied with 5 speed remote control and timer with up to 8 hour timer control mode

## SPECIFICATIONS

| BLADE DIAMETER | 1650mm 65” |
|---|---|
| FAN ONLY | |
| HEIGHT | 313mm |
| **MODEL** | **ORDERING CODE** |
| FAN ONLY | |
| MATT BLACK | MAF168MR |
| WHITE | MAF180WR |
| BRUSHED NICKEL | MAF180BR |

## ACCESSORIES

| ACCESSORIES | ORDERING CODE |
|---|---|
| 900mm Downrod Matt Black | MDRD36M |
| 900mm Downrod White | MDRD36W |
| 900mm Downrod Brushed Nickel | MDRD36N |
| 1800mm Downrod Matt Black | MDRD72M |
| 1800mm Downrod White | MDRD72W |
| 1800mm Downrod Brushed Nickel | MDRD72N |

## DIMENSIONS

### FAN ONLY



Link DC - PG 30

# LINK DC

White Satin

## FAN ONLY

Matt Black

## FAN LED LIGHT

White Satin

Matt Black

6 YEAR
Warranty

30W
DC Motor

5 Speed
DC / 8hr Timer
Quick Connect
Remote Control

Summer/Winter
Reverse
Function

11°
Blade Pitch

Slope up to 15°
Hangsure
Canopy

Indoor Cover
Outdoor Use

Tropical
Rated

3000K 4000K 5000K
Tricolour

3 Step Switch
Dimming



For more product information please visit our website.

Link 1220mm 48”

**9,800m³/hr**
Maximum Airflow

## FEATURES

- Brushless quiet and efficient 30W DC motor
- Whisper quiet, slimline designed or indoor and covered outdoor applications
- Metal body and canopy with 4 plywood blades
- Air movement up to 9,800m³/hr
- Blade pitch 11°
- Hangsure canopy up to 15° maximum
- Fully reversible for summer and winter mode from remote control
- Supplied with 5 speed remote control and timer with up to 8 hour timer control mode
- 15W tricolour LED with 3 step switch dimming
- Switchable colour temperature between 3000K, 4000K & 5000K

## SPECIFICATIONS

| BLADE DIAMETER | 1220mm 48” |
|---|---|
| FAN ONLY | |
| HEIGHT | 307mm |
| FAN LED LIGHT | |
| HEIGHT | 352mm |
| LUMEN OUTPUT | 1650lm |
| **MODEL** | **ORDERING CODE** |
| FAN ONLY | |
| MATT BLACK | FSLDC124MR |
| WHITE SATIN | FSLDC124WR |
| FAN LED LIGHT | |
| MATT BLACK | FSLDC1243MR |
| WHITE SATIN | FSLDC1243WR |

## ACCESSORIES

| ACCESSORIES | ORDERING CODE |
|---|---|
| 900mm Downrod Matt Black | MDRD36M |
| 900mm Downrod White | MDRD36W |
| 1800mm Downrod Matt Black | MDRD72M |
| 1800mm Downrod White | MDRD72W |

## DIMENSIONS

### FAN ONLY




### FAN LED LIGHT



# LIFESTYLE DC

White Satin

## FAN ONLY

Brushed Aluminium

## FAN LED LIGHT

White Satin

Brushed Aluminium

6 YEAR Warranty

35W DC Motor

5 Speed DC / 8hr Timer Quick Connect Remote Control

Summer/Winter Reverse Function

12.5° Blade Pitch

Slope up to 15° Hangsure Canopy

Indoor Cover Outdoor Use

Tropical Rated

3000K 4000K 5000K Tricolour

3 Step Switch Dimming



For more product information please visit our website.

Lifestyle 1320mm 52”

**10,200m³/hr**
Maximum Airflow

## FEATURES

- Brushless quiet and efficient 35W DC motor
- Slimline designed ideal for indoor and covered outdoor applications
- Die cast aluminium body and canopy with 4 plywood blades
- Air movement up to 10,200m³/hr
- Blade pitch 12.5°
- Hangsure canopy up to 15° maximum
- Fully reversible for summer and winter mode from remote control
- Supplied with 5 speed remote control and timer with up to 8 hour timer control mode
- 24W tricolour LED with 3 step switch dimming
- Switchable colour temperature between 3000K, 4000K & 5000K

## SPECIFICATIONS

| BLADE DIAMETER | 1320mm 52” |
|---|---|
| FAN ONLY | |
| HEIGHT | 315mm |
| FAN LED LIGHT | |
| HEIGHT | 345mm |
| LUMEN OUTPUT | 2000lm |
| **MODEL** | **ORDERING CODE** |
| FAN ONLY | |
| WHITE SATIN | DLDC134WR |
| BRUSHED ALUMINIUM | DLDC134BR |
| FAN LED LIGHT | |
| WHITE SATIN | DLDC1343WR |
| BRUSHED ALUMINIUM | DLDC1343BR |

## ACCESSORIES

| ACCESSORIES | ORDERING CODE |
|---|---|
| 900mm Downrod White | MDRD36W |
| 900mm Downrod Brushed Aluminium | MDRD36B |
| 1800mm Downrod White | MDRD72W |
| 1800mm Downrod Brushed Aluminium | MDRD72B |

## DIMENSIONS

### FAN ONLY




### FAN LED LIGHT



# ZODIAC DC

White Satin

EASY CHANGE

2, 3 or 4 Interchangeable Blade System

FAN ONLY

Titanium Satin

FAN LED LIGHT



White Satin

Titanium Satin

Warranty

DC Motor

DC / 8hr Timer
Quick Connect
Remote Control

Summer/Winter
Reverse
Function

Tropical
Rated

Blade Pitch

Hangsure
Canopy

Indoor Cover
Outdoor Use

Tricolour

3 Step Switch
Dimming



For more product information please visit our website.

Wave 1320mm 52"

**17,700m³/hr**
Maximum Airflow

## FEATURES

- Brushless quiet and efficient 54W DC motor
- Sleek designed ideal for indoor and covered outdoor applications
- Metal body and canopy with ABS interchangeable 2/3/4 blades
- Air movement up to 17,700m³/hr
- Blade pitch 19°
- Hangsure canopy up to 15° maximum
- Fully reversible for summer and winter mode from remote control
- Supplied with 6 speed remote control and timer with up to 8 hour timer control mode
- 18W tricolour LED with 3 step switch dimming
- Switchable colour temperature between 3000K, 4000K & 5000K

## SPECIFICATIONS

| BLADE DIAMETER | 1320mm 52" |
|---|---|
| FAN ONLY | |
| HEIGHT | 320mm |
| FAN LED LIGHT | |
| HEIGHT | 340mm |
| LUMEN OUTPUT | 1780lm |
| **MODEL** | **ORDERING CODE** |
| FAN ONLY | |
| TITANIUM SATIN | MZF134TSR |
| WHITE SATIN | MZF134WSR |
| FAN LED LIGHT | |
| TITANIUM SATIN | MZF134TSR + MZF18TS* |
| WHITE SATIN | MZF134WSR + MZF18WS* |

*LED light kit sold separately

## ACCESSORIES

| ACCESSORIES | ORDERING CODE |
|---|---|
| 900mm Downrod Titanium Satin | DRZ36TS |
| 900mm Downrod White Satin | DRZ36WS |
| 1800mm Downrod Titanium Satin | DRZ72TS |
| 1800mm Downrod White Satin | DRZ72WS |
| Light Kit Only Titanium Satin | MZF18TS |
| Light Kit Only White Satin | MZF18WS |

## DIMENSIONS

### FAN ONLY




### FAN LED LIGHT



Elite AC - PG 38

# AC CEILING FANS

## ADVANTAGES OF AC MOTOR CEILING FANS

| | |
|---|---|
| **Remote Control** | AC motor ceiling fans provide more options for controllers. Choices from remote controls, wall panel to simple switch. |
| **Low Cost** | AC ceiling fans use less electricity than most household appliances especially air conditioning as a standard AC powered ceiling fan will use less than 100W on the highest speed with the majority of models using much less. |
| **More Choices** | AC motor ceiling fans have been on the market for a while now. There are plenty of different options and styles for you to choose from that will be within your budget. |

# ELITE AC

Matt White/Oak

## FAN ONLY

Matt White

Matt Black/Bamboo

Matt Black

## FAN LED LIGHT

Matt White

Matt Black

Matt White/Oak

Matt Black/Bamboo

6 YEAR Warranty

50W AC Motor

Summer/Winter Reverse Function

11.5° Blade Pitch

Slope up to 15° Hangsure Canopy

Indoor Cover Outdoor Use

Tropical Rated

3000K 4000K 5000K Tricolour

3 Step Switch Dimming



For more product information please visit our website.

Elite 1220mm 48"

**9,900m³/hr**
Maximum Airflow

## FEATURES

- Powerful and efficient 50W AC motor
- Slimline designed ideal for indoor and covered outdoor applications
- Metal body and canopy with 3 ABS blades
- Air movement up to 9,900m³/hr
- Blade pitch 11.5°
- Hangsure canopy up to 15° maximum
- Fully reversible for summer and winter mode from remote control
- Supplied with 3 speed wall controller
- 20W tricolour LED with 3 step switch dimming
- Switchable colour temperature between 3000K, 4000K & 5000K
- Compatible with Martec® remote control MPREMS, MPLCDS and MPAPP (sold separately)

## SPECIFICATIONS

| BLADE DIAMETER | 1220mm 48" |
|---|---|
| FAN ONLY | |
| HEIGHT | 350mm |
| FAN LED LIGHT | |
| HEIGHT | 400mm |
| LUMEN OUTPUT | 1850lm |
| **MODEL** | **ORDERING CODE** |
| FAN ONLY | |
| MATT WHITE | MEF133WW |
| MATT BLACK | MEF133MM |
| MATT WHITE/OAK | MEF133WO |
| MATT BLACK/BAMBOO | MEF133MB |
| FAN LED LIGHT | |
| MATT WHITE | MEF1333WW |
| MATT BLACK | MEF1333MM |
| MATT WHITE/OAK | MEF1333WO |
| MATT BLACK/BAMBOO | MEF1333MB |

## ACCESSORIES

| ACCESSORIES | ORDERING CODE |
|---|---|
| Premier Remote Control Kit | MPREMS |
| Prince Smart Remote Control Kit | MPAPP |
| Premium Remote Control Kit | MPLCDS |
| 900mm Downrod White Satin | MDRA36W |
| 900mm Downrod Matt Black | MDRA36M |
| 1800mm Downrod White Satin | MDRA72W |
| 1800mm Downrod Matt Black | MDRA72M |

## DIMENSIONS

### FAN ONLY




### FAN LED LIGHT



# GOVERNOR AC

Old Bronze/Teak

## FAN LED LIGHT

Old Bronze/Teak

6 YEAR Warranty

70W AC Motor

Summer/Winter Reverse Function

13° Blade Pitch

Slope up to 15° Hangsure Canopy

Indoor Cover Outdoor Use

Tropical Rated

3000K 4000K 5000K Tricolour

3 Step Switch Dimming



For more product information please visit our website.

Governor 1520mm 60”

**13,380m³/hr**
Maximum Airflow

## FEATURES

- Powerful and efficient 70W AC motor
- Industrial look, slimline designed ideal for indoor and covered outdoor applications
- Metal body and canopy with 3 ABS blades
- Air movement up to 13,380m³/hr
- Blade pitch 13°
- Hangsure canopy up to 15° maximum
- Fully reversible for summer and winter mode from remote control
- Supplied with 3 speed wall controller
- 15W tricolour LED with 3 step switch dimming
- Switchable colour temperature between 3000K, 4000K & 5000K
- Compatible with Martec® remote control MPREMS, MPLCDS and MPAPP (sold separately)

## SPECIFICATIONS

| BLADE DIAMETER | 1520mm 60” |
|---|---|
| FAN ONLY | |
| HEIGHT | 332mm |
| FAN LED LIGHT | |
| HEIGHT | 347mm |
| LUMEN OUTPUT | 1650lm |
| **MODEL** | **ORDERING CODE** |
| FAN ONLY | |
| OLD BRONZE/TEAK | MGF1530T |
| FAN LED LIGHT | |
| OLD BRONZE/TEAK | MGF1533OT |

## ACCESSORIES

| ACCESSORIES | ORDERING CODE |
|---|---|
| Premier Remote Control Kit | MPREMS |
| Prince Smart Remote Control Kit | MPAPP |
| Premium Remote Control Kit | MPLCDS |
| 900mm Downrod Old Bronze | MDRA360 |
| 1800mm Downrod Old Bronze | MDRA720 |

## DIMENSIONS

### FAN ONLY




### FAN LED LIGHT



Triumph AC - PG 44

# TRIUMPH AC

White Satin

## FAN ONLY

Matt Black

## FAN LED LIGHT

White Satin

Matt Black

6 YEAR Warranty

65W AC Motor

Summer/Winter Reverse Function

12° Blade Pitch

Slope up to 15° Hangsure Canopy

Indoor Cover Outdoor Use

Tropical Rated

3000K 4000K 5000K Tricolour

3 Step Switch Dimming



For more product information please visit our website.

TRIUMPH 1320mm 52”

**10,500m³/hr**
Maximum Airflow

## FEATURES

- Powerful and efficient 65W AC motor
- Slimline designed ideal for indoor and covered outdoor applications
- Metal body and canopy with 3 ABS blades
- Air movement up to 10,500m³/hr
- Blade pitch 12°
- Hangsure canopy up to 15° maximum
- Fully reversible for summer and winter mode from remote control
- Supplied with 3 speed wall controller
- 15W tricolour LED with 3 step switch dimming
- Switchable colour temperature between 3000K, 4000K & 5000K
- Compatible with Martec® remote control MPREMS, MPLCDS and MPAPP (sold separately)

## SPECIFICATIONS

| BLADE DIAMETER | 1320mm 52” |
|---|---|
| FAN ONLY | |
| HEIGHT | 330mm |
| FAN LED LIGHT | |
| HEIGHT | 368mm |
| LUMEN OUTPUT | 1650lm |
| **MODEL** | **ORDERING CODE** |
| FAN ONLY | |
| MATT BLACK | MTF133MM |
| WHITE SATIN | MTF133WS |
| FAN LED LIGHT | |
| MATT BLACK | MTF1333MM |
| WHITE SATIN | MTF1333WS |

## ACCESSORIES

| ACCESSORIES | ORDERING CODE |
|---|---|
| Premier Remote Control Kit | MPREMS |
| Prince Smart Remote Control Kit | MPAPP |
| Premium Remote Control Kit | MPLCDS |
| 900mm Downrod White Satin | MDRA36WS |
| 900mm Downrod Matt Black | MDRA36M |
| 1800mm Downrod White Satin | MDRA72WS |
| 1800mm Downrod Matt Black | MDRA72M |

## DIMENSIONS

### FAN ONLY




### FAN LED LIGHT



# FLUSH AC

White Satin

## FAN ONLY

Matt Black

## FAN LED LIGHT

White Satin

Matt Black

6 YEAR Warranty

60W AC Motor

Summer/Winter Reverse Function

17° Blade Pitch

Indoor Cover Outdoor Use

Tropical Rated

3000K 4000K 5000K Tricolour

3 Step Switch Dimming



For more product information please visit our website.

Flush 1270mm 50”

**9,900m³/hr**
Maximum Airflow

## FEATURES

- Powerful and efficient 60W AC motor
- Low profile and slimline designed ideal for indoor and covered outdoor applications
- Metal body and canopy with 3 ABS blades
- Air movement up to 9,900m³/hr
- Blade pitch 17°
- Must be installed on a flat level surface
- Fully reversible for summer and winter mode from remote control
- Supplied with 3 speed wall controller
- 15W tricolour LED with 3 step switch dimming
- Switchable colour temperature between 3000K, 4000K & 5000K
- Compatible with Martec® remote control MPREMS, MPLCDS and MPAPP (sold separately)

## SPECIFICATIONS

| BLADE DIAMETER | 1270mm 50” |
|---|---|
| FAN ONLY | |
| HEIGHT | 218mm |
| FAN LED LIGHT | |
| HEIGHT | 253mm |
| LUMEN OUTPUT | 1650lm |
| **MODEL** | **ORDERING CODE** |
| FAN ONLY | |
| MATT BLACK | MFF133MM |
| WHITE SATIN | MFF133WS |
| FAN LED LIGHT | |
| MATT BLACK | MFF1333MM |
| WHITE SATIN | MFF1333WS |

## ACCESSORIES

| ACCESSORIES | ORDERING CODE |
|---|---|
| Premier Remote Control Kit | MPREMS |
| Prince Smart Remote Control Kit | MPAPP |
| Premium Remote Control Kit | MPLCDS |

## DIMENSIONS

### FAN ONLY




### FAN LED LIGHT



# CRUISE AC

White Satin

## FAN ONLY

Matt Black

## FAN LED LIGHT

White Satin

Matt Black

6 YEAR Warranty

40W AC Motor

Summer/Winter Reverse Function

11° Blade Pitch

Slope up to 15° Hangsure Canopy

Indoor Cover Outdoor Use

Tropical Rated

3000K 4000K 5000K Tricolour

3 Step Switch Dimming



For more product information please visit our website.

Cruise 1270mm 50”

**10,200m³/hr**
Maximum Airflow

Cruise 1420mm 56”

**11,400m³/hr**
Maximum Airflow

## FEATURES

- Powerful and efficient 40W AC motor
- Slimline designed ideal for indoor and covered outdoor applications
- Metal body and canopy with 3 ABS blades
- Air movement up to 10,200m³/hr (1270mm) and 11,400m³/hr (1420mm)
- Blade pitch 11°
- Hangsure canopy up to 15° maximum
- Fully reversible for summer and winter mode from remote control
- Supplied with 3 speed wall controller
- 15W tricolour LED with 3 step switch dimming
- Switchable colour temperature between 3000K, 4000K & 5000K
- Compatible with Martec® remote control MPREMS, MPLCDS and MPAPP (sold separately)

## SPECIFICATIONS

| BLADE DIAMETER | 1270mm 50” | 1420mm 56” |
|---|---|---|
| FAN ONLY | | |
| HEIGHT | 310mm | 310mm |
| FAN LED LIGHT | | |
| HEIGHT | 310mm | 310mm |
| LUMEN OUTPUT | 1650lm | 1650lm |
| **MODEL** | | **ORDERING CODE** |
| FAN ONLY | | |
| WHITE SATIN | MCF133W | MCF143W |
| MATT BLACK | MCF133M | MCF143M |
| FAN LED LIGHT | | |
| WHITE SATIN | MCF1333W | MCF1433W |
| MATT BLACK | MCF1333M | MCF1433M |

## ACCESSORIES

| ACCESSORIES | ORDERING CODE |
|---|---|
| Premier Remote Control Kit | MPREMS |
| Prince Smart Remote Control Kit | MPAPP |
| Premium Remote Control Kit | MPLCDS |
| 900mm Downrod White Satin | MDRA36WS |
| 900mm Downrod Matt Black | MDRA36M |
| 1800mm Downrod White Satin | MDRA72WS |
| 1800mm Downrod Matt Black | MDRA72M |

## DIMENSIONS

### FAN ONLY




### FAN LED LIGHT



# DISCOVERY AC

White Satin

## FAN ONLY

Matt Black

## FAN LED LIGHT

White Satin

Matt Black

6 YEAR Warranty

60W AC Motor

Summer/Winter Reverse Function

12.5° Blade Pitch

Slope up to 15° Hangsure Canopy

Indoor Cover Outdoor Use

Tropical Rated

3000K 4000K 5000K Tricolour

3 Step Switch Dimming



For more product information please visit our website.

Discovery 1220mm 48”

**9,900m³/hr**
Maximum Airflow

Discovery 1320mm 52”

**10,200m³/hr**
Maximum Airflow

## FEATURES

- Powerful and efficient 60W AC motor
- Slimline designed ideal for indoor and covered outdoor applications
- ABS body and canopy with 3 ABS blades
- Air movement up to 9,900m³/hr (1220mm) and 10,200m³/hr (1320mm)
- Blade pitch 12.5°
- Hangsure canopy up to 15° maximum
- Fully reversible for summer and winter mode from remote control
- Supplied with 3 speed wall controller
- 15W tricolour LED with 3 step switch dimming
- Switchable colour temperature between 3000K, 4000K & 5000K
- Compatible with Martec® remote control MPREMS, MPLCDS and MPAPP (sold separately)

## SPECIFICATIONS

| BLADE DIAMETER | 1220mm 48” | 1320mm 52” |
|---|---|---|
| FAN ONLY | | |
| HEIGHT | 282mm | 282mm |
| FAN LED LIGHT | | |
| HEIGHT | 346mm | 346mm |
| LUMEN OUTPUT | 1650lm | 1650lm |
| **MODEL** | | **ORDERING CODE** |
| FAN ONLY | | |
| MATT BLACK | MDF124M | MDF134M |
| WHITE SATIN | MDF124W | MDF134W |
| FAN LED LIGHT | | |
| MATT BLACK | MDF1243M | MDF1343M |
| WHITE SATIN | MDF1243W | MDF1343W |

## ACCESSORIES

| ACCESSORIES | ORDERING CODE |
|---|---|
| Premier Remote Control Kit | MPREMS |
| Prince Smart Remote Control Kit | MPAPP |
| Premium Remote Control Kit | MPLCDS |
| 900mm Downrod White Satin | MDRA36WS |
| 900mm Downrod Matt Black | MDRA36M |
| 1800mm Downrod White Satin | MDRA72WS |
| 1800mm Downrod Matt Black | MDRA72M |

## DIMENSIONS

### FAN ONLY




### FAN LED LIGHT



# LIBERTY AC

White

**FAN ONLY**

Matt Black

6 YEAR Warranty

65W AC Motor

Summer/Winter Reverse Function

12.5° Blade Pitch

Slope up to 15° Hangsure Canopy

Indoor Cover Outdoor Use

Tropical Rated

IP 55 IP Rating



For more product information please visit our website.

Liberty 1420mm 56”

**11,400m³/hr**
Maximum Airflow

## FEATURES

- Powerful and efficient 65W AC motor
- Low profile designed ideal for indoor and covered outdoor applications
- Metal body and canopy with 4 ABS blades
- Air movement up to 11,400m³/hr
- Blade pitch 12.5°
- Hangsure canopy up to 15° maximum
- Fully reversible for summer and winter mode from remote control
- Supplied with 3 speed wall controller
- Compatible with Martec® remote control MPREMS, MPLCDS and MPAPP (sold separately)

## SPECIFICATIONS

| BLADE DIAMETER | 1420mm 56” |
|---|---|
| FAN ONLY | |
| HEIGHT | 319mm |
| **MODEL** | **ORDERING CODE** |
| FAN ONLY | |
| MATT BLACK | MLF144MIP |
| WHITE | MLF144WIP |

## ACCESSORIES

| ACCESSORIES | ORDERING CODE |
|---|---|
| Premier Remote Control Kit | MPREMS |
| Prince Smart Remote Control Kit | MPAPP |
| Premium Remote Control Kit | MPLCDS |
| 900mm Downrod White | MDRA36W |
| 900mm Downrod Matt Black | MDRA36M |
| 1800mm Downrod White | MDRA72W |
| 1800mm Downrod Matt Black | MDRA72M |

## DIMENSIONS

### FAN ONLY



# LINK AC

White

## FAN ONLY

Matt Black

## FAN LED LIGHT

White

Matt Black

## FAN E27* LIGHT

White

Matt Black

6 YEAR Warranty

55W AC Motor

Summer/Winter Reverse Function

11° Blade Pitch

Slope up to 15° Hangsure Canopy

Indoor Cover Outdoor Use

3000K 4000K 5000K Tricolour

3 Step Switch Dimming

E27 E27



For more product information please visit our website.

Link 1220mm 48”

**7,600m³/hr**
Maximum Airflow

## FEATURES

- Powerful and efficient 55W AC motor
- Slimline designed ideal for indoor and covered outdoor applications
- Metal body and canopy with 4 ABS blades
- Air movement up to 7,600m³/hr
- Blade pitch 11°
- Hangsure canopy up to 15° maximum
- Fully reversible for summer and winter mode from remote control
- Supplied with 3 speed wall controller except FSL124WR**
- 15W tricolour LED with 3 step switch dimming
- Switchable colour temperature between 3000K, 4000K & 5000K
- Supplied with 2x E27 lamp holders (globes not included)
- Compatible with Martec® remote control MPREMS, MPLCDS and MPAPP (sold separately)

## SPECIFICATIONS

| BLADE DIAMETER | 1220mm 48” |
|---|---|
| FAN ONLY | |
| HEIGHT | 307mm |
| FAN LED LIGHT | |
| HEIGHT | 352mm |
| LUMEN OUTPUT | 1650lm |
| FAN E27* LIGHT | |
| HEIGHT | 367mm |

| MODEL | ORDERING CODE |
|---|---|
| FAN ONLY | |
| MATT BLACK | FSL124M |
| WHITE | FSL124W |
| FAN LED LIGHT | |
| MATT BLACK | FSL1243M |
| WHITE | FSL1243W |
| WHITE + REMOTE** | FSL1243WR** |
| FAN E27* LIGHT | |
| MATT BLACK | FSL1244M* |
| WHITE | FSL1244W* |
| WHITE + REMOTE** | FSL1244WR** |

*Supplied with 2x E27 lamp holders (globes not included)
**Supplied with remote control

## ACCESSORIES

| ACCESSORIES | ORDERING CODE |
|---|---|
| Premier Remote Control Kit | MPREMS |
| Prince Smart Remote Control Kit | MPAPP |
| Premium Remote Control Kit | MPLCDS |
| 900mm Downrod White | MDRA36WS |
| 900mm Downrod Matt Black | MDRA36M |
| 1800mm Downrod White | MDRA72WS |
| 1800mm Downrod Matt Black | MDRA72M |

## DIMENSIONS

### FAN ONLY




### FAN LED LIGHT




### FAN E27* LIGHT



Lifestyle AC - PG 58

# LIFESTYLE AC

White

## FAN ONLY

White

Brushed Aluminium

Matt Black

## FAN LED LIGHT

Brushed Aluminium

Matt Black

## FAN E27* LIGHT

White

Brushed Aluminium

Matt Black

Warranty

AC Motor

Summer/Winter Reverse Function

Blade Pitch

Hangsure Canopy

Indoor Cover Outdoor Use

Tricolour

3 Step Switch Dimming

E27



For more product information please visit our website.

Lifestyle 1320mm 52”

**9,600m³/hr**
Maximum Airflow

## FEATURES

- Powerful and efficient 60W AC motor
- Low profile designed ideal for indoor and covered outdoor applications
- Metal body and canopy with 4 ABS blades
- Air movement up to 9,600m³/hr
- Blade pitch 12.5°
- Hangsure canopy up to 15° maximum
- Fully reversible for summer and winter mode from remote control
- Supplied with 3 speed wall controller
- 24W tricolour LED with 3 step switch dimming
- Switchable colour temperature between 3000K, 4000K & 5000K
- Supplied with 2x E27 lamp holders (globes not included)
- Compatible with Martec® remote control MPREMS, MPLCDS and MPAPP (sold separately)

## SPECIFICATIONS

| BLADE DIAMETER | 1320mm 52” |
|---|---|
| FAN ONLY | |
| HEIGHT | 315mm |
| FAN LED LIGHT | |
| HEIGHT | 345mm |
| LUMEN OUTPUT | 2000lm |
| FAN E27* LIGHT | |
| HEIGHT | 365mm |

| MODEL | ORDERING CODE |
|---|---|
| FAN ONLY | |
| MATT BLACK | DLS134M |
| WHITE | DLS134W |
| BRUSHED ALUMINIUM | DLS134B |
| FAN LED LIGHT | |
| MATT BLACK | DLS1343M |
| WHITE | DLS1343W |
| BRUSHED ALUMINIUM | DLS1343B |
| FAN E27* LIGHT | |
| MATT BLACK | DLS1344M* |
| WHITE | DLS1344W* |
| BRUSHED ALUMINIUM | DLS1344B* |

*Supplied with 2x E27 lamp holders (globes not included)

## ACCESSORIES

| ACCESSORIES | ORDERING CODE |
|---|---|
| Premier Remote Control Kit | MPREMS |
| Prince Smart Remote Control Kit | MPAPP |
| Premium Remote Control Kit | MPLCDS |
| 900mm Downrod White | MDRA36W |
| 900mm Downrod Matt Black | MDRA36M |
| 900mm Downrod Brushed Aluminium | MDRA36B |
| 1800mm Downrod White | MDRA72W |
| 1800mm Downrod Matt Black | MDRA72M |
| 1800mm Downrod Brushed Aluminium | MDRA72B |

## DIMENSIONS

### FAN ONLY




### FAN LED LIGHT




### FAN E27* LIGHT



# LIFESTYLE MINI AC

White

## FAN LED LIGHT

White

## FAN E27* LIGHT

White

6 YEAR Warranty

60W AC Motor

Summer/Winter Reverse Function

12.5° Blade Pitch

Slope up to 15° Hangsure Canopy

Indoor Cover Outdoor Use

3000K 4000K 5000K Tricolour

3 Step Switch Dimming

E27 E27



For more product information please visit our website.

Lifestyle Mini 1067mm 42”

**8,100m³/hr**
Maximum Airflow

## FEATURES

- Powerful and efficient 60W AC motor
- Low profile designed ideal for indoor and covered outdoor applications
- Metal body and canopy with 4 ABS blades
- Air movement up to 8,100m³/hr
- Blade pitch 12.5°
- Hangsure canopy up to 15° maximum
- Fully reversible for summer and winter mode from remote control
- Supplied with 3 speed wall controller
- 24W tricolour LED with 3 step switch dimming
- Switchable colour temperature between 3000K, 4000K & 5000K
- Supplied with 2x E27 lamp holders (globes not included)
- Compatible with Martec® remote control MPREMS, MPLCDS and MPAPP (sold separately)

## SPECIFICATIONS

| BLADE DIAMETER | 1067mm 42” |
|---|---|
| FAN ONLY | |
| HEIGHT | 315mm |
| FAN LED LIGHT | |
| HEIGHT | 345mm |
| LUMEN OUTPUT | 2000lm |
| FAN E27* LIGHT | |
| HEIGHT | 365mm |
| **MODEL** | **ORDERING CODE** |
| FAN ONLY | |
| WHITE | DLS104W |
| FAN LED LIGHT | |
| WHITE | DLS1043W |
| FAN E27* LIGHT | |
| WHITE | DLS1044W* |

*Supplied with 2x E27 lamp holders (globes not included)

## ACCESSORIES

| ACCESSORIES | ORDERING CODE |
|---|---|
| Premier Remote Control Kit | MPREMS |
| Prince Smart Remote Control Kit | MPAPP |
| Premium Remote Control Kit | MPLCDS |
| 900mm Downrod White | MDRA36W |
| 1800mm Downrod White | MDRA72W |

## DIMENSIONS

### FAN ONLY




### FAN LED LIGHT




### FAN E27* LIGHT



# RAZOR AC

White LED Light

6 YEAR Warranty

69W AC Motor

Summer/Winter Reverse Function

12.5° Blade Pitch

Slope up to 15° Hangsure Canopy

Indoor Cover Outdoor Use

Tropical Rated

3000K 4000K 5000K Tricolour

3 Step Switch Dimming



For more product information please visit our website.

Razor 1320mm 52”

**9,500m³/hr**
Maximum Airflow

## FEATURES

- Powerful and efficient 69W AC motor
- Slimline designed ideal for indoor and covered outdoor applications
- Metal body and canopy with 4 plywood blades
- Air movement up to 9,500m³/hr
- Blade pitch 12.5°
- Hangsure canopy up to 15° maximum
- Fully reversible for summer and winter mode from remote control
- Supplied with 3 speed wall controller
- 28W tricolour LED with 3 step switch dimming
- Switchable colour temperature between 3000K, 4000K & 5000K
- Compatible with Martec® remote control MPREMS, MPLCDS and MPAPP (sold separately)

## SPECIFICATIONS

| BLADE DIAMETER | 1320mm 52” |
|---|---|
| FAN LED LIGHT | |
| HEIGHT | 300mm |
| LUMEN OUTPUT | 2350lm |
| **MODEL** | **ORDERING CODE** |
| FAN LED LIGHT | |
| WHITE | MRF1343W |

## ACCESSORIES

| ACCESSORIES | ORDERING CODE |
|---|---|
| Premier Remote Control Kit | MPREMS |
| Prince Smart Remote Control Kit | MPAPP |
| Premium Remote Control Kit | MPLCDS |
| 900mm Downrod White | MDRA36W |
| 1800mm Downrod White | MDRA72W |

## DIMENSIONS

### FAN LED LIGHT



# OASIS AC/
# HAMILTON AC

Oasis

**FAN ONLY**

Hamilton

6 YEAR
Warranty

63W
AC Motor

Summer/Winter Reverse Function

12.5°
Blade Pitch

Slope up to 15°
Hangsure Canopy

Indoor Cover Outdoor Use



For more product information please visit our website.

OASIS 1320mm 52”

**9,900m³/hr**
Maximum Airflow

Hamilton 1320mm 52”

**8,400m³/hr**
Maximum Airflow

## FEATURES

- Efficient 63W AC motor
- Ideal for indoor and covered outdoor applications
- Metal body and canopy with polycarbonate blades
- Air movement up to 9,900m³/hr (Oasis) and 8,400m³/hr (Hamilton)
- Blade pitch 12.5°
- Hangsure canopy up to 15° maximum
- Fully reversible for summer and winter mode from remote control
- Compatible with Martec® remote control MPREMS, MPLCDS and MPAPP (sold separately)
- Optional accessory light kit sold separately

## SPECIFICATIONS

| BLADE DIAMETER | 1320mm 52” |
|---|---|
| OASIS FAN ONLY | |
| HEIGHT | 360mm |
| HEIGHT LIGHT KIT | 470mm |
| HAMILTON FAN ONLY | |
| HEIGHT | 430mm |
| HEIGHT LIGHT KIT | 600mm |
| **MODEL** | **ORDERING CODE** |
| OASIS | MOF1340B |
| HAMILTON | MHF1340B |

## ACCESSORIES

| ACCESSORIES | ORDERING CODE |
|---|---|
| Premier Remote Control Kit | MPREMS |
| Prince Smart Remote Control Kit | MPAPP |
| Premium Remote Control Kit | MPLCDS |
| Oasis Light Kit | MOLK0B |
| Hamilton Light Kit | MHLK0B |
| 900mm Downrod Old Bronze | MDRA360 |
| 1800mm Downrod Old Bronze | MDRA720 |

## DIMENSIONS

### OASIS FAN




### HAMILTON FAN



# PRECISION AC

White

## FAN ONLY

316 Stainless Steel

304 Brushed Nickel

## LIGHT KIT

White

304 Brushed Nickel

316 Stainless Steel

6 YEAR Warranty

75W AC Motor

Summer/Winter Reverse Function

23° Blade Pitch

Slope up to 15° Hangsure Canopy

Indoor Cover Outdoor Use

Coastal Rated

Tropical Rated



For more product information please visit our website.

Precision 1220mm 48"

**16,380m³/hr**
Maximum Airflow

Precision 1320mm 52"

**18,960m³/hr**
Maximum Airflow

Precision 1420mm 56"

**21,000m³/hr**
Maximum Airflow

## FEATURES

- Powerful and efficient 75W AC motor
- Robust designed ideal for indoor, covered outdoor, coastal and tropical applications
- Metal body and canopy with 4 ABS blades
- Air movement up to 16,380m³/hr (1220mm), 18,960m³/hr (1320mm) and 21,000m³/hr (1420mm)
- Blade pitch 23°
- Hangsure canopy up to 15° maximum
- Fully reversible for summer and winter mode from remote control
- Supplied with 3 speed wall controller
- Compatible with Martec® remote control MPREMS, MPLCDS and MPAPP (sold separately)
- Optional accessory light kit sold separately

## SPECIFICATIONS

| BLADE DIAMETER | 1220mm 48" | 1320mm 52" | 1420mm 56" |
|---|---|---|---|
| FAN ONLY | | | |
| HEIGHT | 300mm | 300mm | 300mm |
| HEIGHT LIGHT KIT | 390mm | 390mm | 390mm |
| **MODEL** | | | **ORDERING CODE** |
| WHITE | MPF120WH | MPF130WH | MPF140WH |
| 304 BRUSHED NICKEL | MPF3162SS | MPF3163SS | MPF3164SS |
| 316 STAINLESS STEEL | MPR3162SS | MPR3163SS | MPR3164SS |

## ACCESSORIES

| ACCESSORIES | ORDERING CODE |
|---|---|
| Premier Remote Control Kit | MPREMS |
| Prince Smart Remote Control Kit | MPAPP |
| Premium Remote Control Kit | MPLCDS |
| FourSeasons Infra Red Remote Control Kit | FSIREM |
| Light Kit White | PLKWH |
| Light Kit 304 Brushed Nickel | PLKBN |
| Light Kit 316 Stainless Steel | PLKSS |
| 900mm Downrod White | DREPO36W |
| 900mm Downrod 304 Brushed Nickel | DREPO36BN |
| 900mm Downrod 316 Stainless Steel | DRP36SS |
| 1800mm Downrod White | DREPO72W |
| 1800mm Downrod 304 Brushed Nickel | DREPO72BN |
| 1800mm Downrod 316 Stainless Steel | DRP72SS |

## DIMENSIONS

### FAN ONLY




### FAN LIGHT KIT



# ALPHA AC

White

## FAN ONLY

Antique Brass

## FAN LIGHT KIT

White

6 YEAR Warranty

60W AC Motor

Summer/Winter Reverse Function

12° Blade Pitch

Slope up to 15° Hangsure Canopy

Indoor Use Only



For more product information please visit our website.

Alpha 1220mm 48”

**8,520m³/hr**
Maximum Airflow

## FEATURES

- Powerful and efficient 60W AC motor
- Low profile designed ideal for indoor applications
- Metal body and canopy with 4 plywood blades
- Air movement up to 8,520m³/hr
- Blade pitch 12°
- Hangsure canopy up to 15° maximum
- Fully reversible for summer and winter mode from remote control
- Supplied with 3 speed wall controller
- Compatible with Martec® remote control MPREMS, MPLCDS and MPAPP (sold separately)
- Optional accessory light kit sold separately

## SPECIFICATIONS

| BLADE DIAMETER | 1220mm 48” |
|---|---|
| FAN ONLY | |
| HEIGHT | 335mm |
| FAN LIGHT KIT | |
| HEIGHT | 420mm |
| **MODEL** | **ORDERING CODE** |
| FAN ONLY | |
| WHITE | CFW124 |
| ANTIQUE BRASS | CFA124 |
| FAN LIGHT KIT | |
| WHITE | CFW124C |
| WHITE + REMOTE CFW124CR* | |

*Supplied with remote control

## ACCESSORIES

| ACCESSORIES | ORDERING CODE |
|---|---|
| Premier Remote Control Kit | MPREMS |
| Prince Smart Remote Control Kit | MPAPP |
| Premium Remote Control Kit | MPLCDS |
| FourSeasons Infra Red Remote Control Kit | FSIREM |
| Clipper Light White | FSLCW |
| 900mm Downrod White | MDRA36W |
| 900mm Downrod Antique Brass | MDRA36A |
| 1800mm Downrod White | MDRA72W |
| 1800mm Downrod Antique Brass | MDRA72A |

## DIMENSIONS

### FAN ONLY




### FAN LIGHT KIT



# TRISERA AC

Stainless Steel

**FAN ONLY**

White

6 YEAR
Warranty

60W
AC Motor

Summer/Winter Reverse Function

17°
Blade Pitch

Slope up to 15°
Hangsure Canopy

Indoor Cover Outdoor Use



For more product information please visit our website.

Trisera 1220mm 48”

**9,900m³/hr**
Maximum Airflow

Trisera 1320mm 52”

**10,800m³/hr**
Maximum Airflow

Trisera 1420mm 56”

**12,600m³/hr**
Maximum Airflow

## FEATURES

- Powerful and efficient 60W AC motor
- Robust designed ideal for indoor and covered outdoor applications
- Metal body and canopy with aluminium or stainless steel blades
- Air movement up to 9,900m³/hr (1220mm), 10,800m³/hr (1320mm) and 12,600m³/hr (1420mm)
- Blade pitch 17°
- Hangsure canopy up to 15° maximum
- Fully reversible for summer and winter mode from remote control
- Supplied with 3 speed wall controller
- Compatible with Martec® remote control MPREMS, MPLCDS and MPAPP (sold separately)
- Optional accessory light kit sold separately

## SPECIFICATIONS

| BLADE DIAMETER | 1220mm 48” | 1320mm 52” | 1420mm 56” |
|---|---|---|---|
| FAN ONLY | | | |
| HEIGHT | 335mm | 335mm | 335mm |
| MODEL | | | ORDERING CODE |
| WHITE | FST1234W | FST1334W | FST1434W |
| STAINLESS STEEL | FST1234S | FST1334S | FST1434S |

## ACCESSORIES

| ACCESSORIES | ORDERING CODE |
|---|---|
| Premier Remote Control Kit | MPREMS |
| Prince Smart Remote Control Kit | MPAPP |
| Premium Remote Control Kit | MPLCDS |
| FourSeasons Infra Red Remote Control Kit | FSIREM |
| Clipper Light White | FSLCW |
| Clipper Light Silver | FSLCS |
| 900mm Downrod White | MDRA36W |
| 900mm Downrod Stainless Steel | MDRA36SS |
| 1800mm Downrod White | MDRA72W |
| 1800mm Downrod Stainless Steel | MDRA72SS |

## DIMENSIONS

### FAN ONLY



Link AC - PG 54



# CEILING FANS ACCESSORIES

## ADVANTAGES OF ACCESSORIES

| | |
|---|---|
| **Remote Control** | Remote controls allow you to change the fan speed with a touch of a button. |
| **Light** | Ceiling fan lights give you brightness while providing a relaxing cool breeze. |
| **Downrod** | Downrods provide convenience and better efficiency where the installation area has a high ceiling. |

## PREMIER REMOTE CONTROL KIT

1 YEAR In-Home Warranty

Quick Connect System

### FEATURES

- 1 year in-home warranty
- 3 speed high, medium, low
- Suitable for all step dim AC fans
- Light On/Off function
- 2x AAA 1.5V batteries included
- Includes wall mounting bracket
- Radio frequency
- 4 Dip switches make 16 possible frequency combinations
- 2, 4, 8 hour timer
- Frequency range up to 10m

### ORDERING CODE

| | |
|---|---|
| Premier Remote Control Kit | MPREMS |

## PREMIUM LCD REMOTE CONTROL KIT

1 YEAR In-Home Warranty

Quick Connect System

### FEATURES

- 1 year in-home warranty
- 3 speed high, medium, low
- 2, 4, 8 hour timer
- 2x AAA 1.5V batteries included
- Includes wall mounting bracket
- Radio frequency
- 4 dip switches make 16 possible frequency combinations
- Frequency range up to 10m

### ORDERING CODE

| | |
|---|---|
| Premium Remote Control Kit | MPLCDS |

## INFRA-RED REMOTE CONTROL KIT

1 YEAR In-Home Warranty

Quick Connect System

### FEATURES

- 1 year in-home warranty
- 3 speed high, medium, low
- Light On/Off function
- 2x AAA 1.5V batteries included
- Includes wall mounting bracket
- Infrared control
- 3 minute light delay function
- Frequency range up to 10m

### ORDERING CODE

| | |
|---|---|
| FourSeasons Infra Red Remote Control Kit | FSIREM |

## PRINCE SMART REMOTE CONTROL KIT

1 YEAR In-Home Warranty

Quick Connect System

Martec® OneTouch Free Download

GET IT ON Google Play

Download on the App Store

### FEATURES

- 1 year in-home warranty
- 3 speed high, medium, low
- Suitable for step dim AC fans with light
- Advanced timer features
- Light On/Off function
- 2x AAA 1.5V batteries included
- Includes wall mounting bracket
- Bluetooth 4.0 remote control technology
- OneTouch App available from the Apple App Store and Google Play Store
- Frequency range up to 10m

### ORDERING CODE

| | |
|---|---|
| Prince Smart Remote Control Kit | MPAPP |

Scan to find out your closest store location.

# We're more than just fans...

Whether it is ceiling fans, LED lighting, bathroom heaters or exhaust fans. Martec will always have the highest quality, best in class and competitively priced solutions to suit every lifestyle.

MARTEC® Cooling

MARTEC® Heating

MARTEC® Lighting

Martec is constantly developing and improving its products. All descriptions, illustrations, drawings and specifications in this publication present only general particulars and shall not form part of any contract.
Air movements figures quoted are guide only. All measurements are in millimetres unless otherwise stated.

For In Home Warranty, please visit website for details https://www.martecaustralia.com.au/warranty-statement/

The right is reserved to change specifications without prior notification or public announcement. All goods supplied by the company are supplied subject to the company's General Conditions of Sale, a copy of which is available on request.

Lighting Council AUSTRALIA MEMBER

MARTEC®

Innovation | Durability | Quality

6 Austool Place Ingleburn NSW 2565
(02) 8778 7500
sales@martecltd.com.au

Opening Hours (Mon-Fri):
Warehouse: 7:30am – 3:30pm
Office: 8:00am – 4:00pm

www.martecaustralia.com.au