



BATHROOM
CATALOGUE
2022

 **MARTEC**[®]
Heating

 **MARTEC**[®]
Exhaust


Enhance your living experience with Martec[®]

After more than five decades Martec[®] has become one of Australia's leading providers of cooling, lighting, heating and exhaust products. Our focus has always been on providing our customers with the highest quality, best in class and competitively priced products and solutions to suit every lifestyle.

Our relentless dedication to continuing development, puts Martec[®] at the forefront of innovation and design. With the latest technology, Martec[®] now offers an exciting and comprehensive range of heaters and exhaust fans like the newly released – THERMO and PHOENIX which are designed to suit any applications.

The Martec[®] Promise

A strong commitment to the principles of quality, service and attention to detail ensures we transform these values into unique and dynamic outcomes that are second to none. In order to attain and maintain these objectives, Martec[®] has implemented a quality management process and system which meets the requirements of AS/NZS ISO 9001. In summary, Martec[®] is committed to providing an unrivalled product and service offer to its many valued customers.



WARRANTY GUIDE

2
YEAR

In-Home
Warranty

**Bathroom Heaters &
Exhaust Fans LED**

2 Year In-Home Warranty

1
YEAR

Replacement
Warranty

Accessories

1 Year Replacement Warranty

This is a guide only and is current at the time of publication.
Please check the website for current information for specified product.
www.martecaustralia.com.au/warranty-statement/



2
YEAR

Replacement
Warranty

Exhaust Fans

2 Year Replacement Warranty

CONTENTS

BATHROOM HEATERS



LINEAR
Page 6



LINEAR MINI
Page 8



VAPOUR
Page 12



PHOENIX
Page 16



ASPIRE
Page 18



FORME 2
Page 22



FORME 4
Page 24



PROFILE PANEL 2
Page 28



PROFILE PANEL 4
Page 30



PROFILE PLUS 2
Page 32



PROFILE PLUS 4
Page 34



CONTOUR 1
Page 38



CONTOUR 2
Page 40



CONTOUR 4
Page 42



UNO
Page 44



THERMO
Page 46

EXHAUST FANS



**FLOW 240/295
EXHAUST FAN**
Page 50



**FLOW 240/295
LED**
Page 52



**SATURN 240/295
EXHAUST FAN**
Page 56



**SATURN 240/295
LED**
Page 58



CORE 240/290
Page 60

HEATING ACCESSORIES



**REMOTE
CONTROL KIT**
Page 64



LAMPS
Page 66



BATHROOM HEATERS

Martec® bathroom heaters come in a wide variety of shapes and sizes, from a simple single heat lamp unit, to slimline designed 3-in-1 heater.

Different IPX ratings and colour finishes enable our heaters to compliment any design scheme and environment at your home.

Linear	6
Linear Mini.....	8
Vapour.....	12
Phoenix	16
Aspire.....	18
Forme.....	22
Profile Panel	28
Profile Plus	32
Contour	38
Uno	44
Thermo.....	46

LINEAR



White



Silver

ACCESSORIES



Bathroom Heater LCD Remote Control Kit



1000W Heat Tube



6W GU10 Globe 3K



2
YEAR
In-Home
Warranty



IPX2
Ingress
Protection



Heat Tube



High Performance
Ball Bearing Motor



High
Extraction



Slimline
Fitting

BATHROOM


SPECIFICATIONS

BATHROOM HEATER	
EXHAUST FAN WATTAGE	40W
CUTOUT SIZE	455 x 305mm
DECIBEL RATING	≤40dB
HEATING WATTAGE/TYPE	1 x 1000W R7s heat tube
LIGHTING WATTAGE/TYPE	4 x 6W GU10 LED globe
COLOUR TEMPERATURE	3000K
LUMENS OUTPUT	2510lm
MINIMUM CEILING DEPTH	210mm
ACCESSORIES INCLUDED	1 x 3m duct 2 x clips for ducting 1 x external grille 1 x 3 gang switch wall controller

MODEL	ORDERING CODE
WHITE	MBHL1000W
SILVER	MBHL1000S

ACCESSORIES	ORDERING CODE
BATHROOM HEATER LCD REMOTE CONTROL KIT	MBHREM
1000W HEAT TUBE	MRL1000W
6W GU10 GLOBE 3K	MBGU306
6W GU10 GLOBE 5K	MBGU506

DIMENSIONS



LINEAR MINI



White



Silver

ACCESSORIES



Bathroom Heater LCD Remote Control Kit



1000W Heat Tube



6W GU10 Globe 3K



2
YEAR
In-Home
Warranty



IPX2
Ingress
Protection



Heat Tube



High Performance
Ball Bearing Motor



High
Extraction



Slimline
Fitting

Linear Mini

480m³/hr

Maximum Airflow



FEATURES

- Sleek and low profile design to suit any bathroom application
- Steel housing with aluminium fascia
- Built in thermal overload protection
- Back draft stopper included
- Cut-out template included
- Compatible with Martec bathroom remote MBHREM (not included)

BATHROOM


SPECIFICATIONS

BATHROOM HEATER	
EXHAUST FAN WATTAGE	40W
CUTOUT SIZE	350 x 305mm
DECIBEL RATING	≤40dB
HEATING WATTAGE/TYPE	1 x 1000W R7s heat tube
LIGHTING WATTAGE/TYPE	3 x 6W GU10 LED globe
COLOUR TEMPERATURE	3000K
LUMENS OUTPUT	1890lm
MINIMUM CEILING DEPTH	220mm
ACCESSORIES INCLUDED	1 x 3m duct 2 x clips for ducting 1 x external grille 1 x 3 gang switch wall controller

MODEL	ORDERING CODE
WHITE	MBHM1000W
SILVER	MBHM1000S


ACCESSORIES	ORDERING CODE
BATHROOM HEATER LCD REMOTE CONTROL KIT	MBHREM
1000W HEAT TUBE	MRL1000W
6W GU10 GLOBE 3K	MBGU306
6W GU10 GLOBE 5K	MBGU506

DIMENSIONS





VAPOUR



White



2
YEAR
In-Home
Warranty



IPX2
Ingress
Protection



Heat
Element



High Performance
Ball Bearing Motor



High
Extraction



Slimline
Fitting



Tricolour




BATHROOM

SPECIFICATIONS

BATHROOM HEATER	
EXHAUST FAN WATTAGE	55W
CUTOUT SIZE	520 x 345mm
DECIBEL RATING	≤40dB
HEATING WATTAGE/TYPE	2 x 1000W PTC heat elements
LIGHTING WATTAGE/TYPE	12W LED
COLOUR TEMPERATURE	3000K / 4000K / 5000K
LUMENS OUTPUT	900lm
MINIMUM CEILING DEPTH	200mm
ACCESSORIES INCLUDED	1 x 3m duct 2 x clips for ducting 1 x external grille 1 x 5 gang switch wall controller

MODEL	ORDERING CODE
WHITE	MBHV2000W

DIMENSIONS





PHOENIX



White



Black

ACCESSORIES



Bathroom Heater LCD Remote Control Kit



1000W Heat Tube



2
YEAR
In-Home
Warranty



Ingress
Protection



Heat Tube



High Performance
Ball Bearing Motor



High
Extraction



Slimline
Fitting



Tricolour



Phoenix

500m³/hr
Maximum Airflow



FEATURES

- Sleek and low profile design to suit any bathroom application
- Polypropylene (PP) housing, aluminium fascia with frosted white Schott glass
- Built in thermal overload protection
- Back draft stopper included
- Cut-out template included
- Compatible with Martec bathroom remote MBHREM (not included)

BATHROOM


SPECIFICATIONS

BATHROOM HEATER	
EXHAUST FAN WATTAGE	60W
CUTOUT SIZE	475 x 325mm
DECIBEL RATING	≤45dB
HEATING WATTAGE/TYPE	1 x 1000W R7s heat tube
LIGHTING WATTAGE/TYPE	20W LED
COLOUR TEMPERATURE	3000K / 4000K / 5000K
LUMENS OUTPUT	1585lm / 1695lm / 1585lm
MINIMUM CEILING DEPTH	220mm
ACCESSORIES INCLUDED	1 x 1.5m duct 2 x clips for ducting 1 x external grille 1 x 3 gang switch wall controller


MODEL	ORDERING CODE
WHITE	MBHP1000W
BLACK	MBHP1000M

ACCESSORIES	ORDERING CODE
BATHROOM HEATER LCD REMOTE CONTROL KIT	MBHREM
1000W HEAT TUBE	MRL1000W

DIMENSIONS



ASPIRE



White

ACCESSORIES



Bathroom Heater LCD Remote Control Kit



400W Heat Tube



In-Home Warranty



Ingress Protection



Heat Tube



High Performance Ball Bearing Motor



High Extraction



Slimline Fitting



Tricolour



BATHROOM

SPECIFICATIONS

BATHROOM HEATER	
EXHAUST FAN WATTAGE	55W
CUTOUT SIZE	520 x 345mm
DECIBEL RATING	≤50dB
HEATING WATTAGE/TYPE	2 x 400W heat tubes
LIGHTING WATTAGE/TYPE	20W LED
COLOUR TEMPERATURE	3000K / 4000K / 5000K
LUMENS OUTPUT	1380lm / 1565lm / 1530lm
MINIMUM CEILING DEPTH	200mm
ACCESSORIES INCLUDED	1 x 3m duct 2 x clips for ducting 1 x external grille 1 x 4 gang switch wall controller

MODEL	ORDERING CODE
WHITE	MBHA800W


ACCESSORIES	ORDERING CODE
BATHROOM HEATER LCD REMOTE CONTROL KIT	MBHREM
400W HEAT TUBE	MRL400W



FEATURES

- Sleek and low profile design to suit any bathroom application
- Steel housing with aluminium fascia
- Built in thermal overload protection
- Back draft stopper included
- Half heat function
- Cut-out template included
- Compatible with Martec bathroom remote MBHREM (not included)

DIMENSIONS





FORME 2



White

ACCESSORIES



Bathroom Heater LCD Remote Control Kit



275W E27 Heat Lamp



2 Year In-Home Warranty



Ingress Protection



Heat Lamp



High Performance Ball Bearing Motor



High Extraction



Ultra Low Profile



Tricolour

BATHROOM

SPECIFICATIONS

BATHROOM HEATER	
EXHAUST FAN WATTAGE	45W
CUTOUT SIZE	375 x 202mm
DECIBEL RATING	≤40dB
HEATING WATTAGE/TYPE	2 x 275W heat lamps
LIGHTING WATTAGE/TYPE	10W LED
COLOUR TEMPERATURE	3000K / 4000K / 5000K
LUMENS OUTPUT	600lm / 725lm / 700lm
MINIMUM CEILING DEPTH	200mm
ACCESSORIES INCLUDED	1 x 1.5m duct 2 x clips for ducting 1 x external grille 1 x 3 gang switch wall controller 2 x heat lamps

MODEL	ORDERING CODE
WHITE	MBHF2LW

ACCESSORIES	ORDERING CODE
BATHROOM HEATER LCD REMOTE CONTROL KIT	MBHREM
275W E27 HEAT LAMP	MRL275W

Forme 2


300m³/hr

Maximum Airflow

FEATURES

- Low profile design to suit any small to medium bathroom application
- Polypropylene (PP) housing with polycarbonate (PC) fascia
- Built in thermal overload protection
- Back draft stopper included
- Cut-out template included
- Compatible with Martec bathroom remote MBHREM (not included)

DIMENSIONS



FORME 4



White

ACCESSORIES



Bathroom Heater LCD Remote Control Kit



275W E27 Heat Lamp



2 YEAR In-Home Warranty



IPX4 Ingress Protection



Heat Lamp



High Performance Ball Bearing Motor



High Extraction



Ultra Low Profile



Tricolour



BATHROOM

SPECIFICATIONS

BATHROOM HEATER	
EXHAUST FAN WATTAGE	45W
CUTOUT SIZE	320 x 320mm
DECIBEL RATING	≤40dB
HEATING WATTAGE/TYPE	4 x 275W heat lamps
LIGHTING WATTAGE/TYPE	10W LED
COLOUR TEMPERATURE	3000K / 4000K / 5000K
LUMENS OUTPUT	600lm / 725lm / 700lm
MINIMUM CEILING DEPTH	200mm
ACCESSORIES INCLUDED	1 x 1.5m duct 2 x clips for ducting 1 x external grille 1 x 4 gang switch wall controller 4 x heat lamps

MODEL	ORDERING CODE
WHITE	MBHF4LW

ACCESSORIES	ORDERING CODE
BATHROOM HEATER LCD REMOTE CONTROL KIT	MBHREM
275W E27 HEAT LAMP	MRL275W


Forme 4

300m³/hr
Maximum Airflow

FEATURES


- Low profile design to suit any small to medium bathroom application
- Polypropylene (PP) housing with polycarbonate (PC) fascia
- Built in thermal overload protection
- Back draft stopper included
- Half heat function
- Cut-out template included
- Compatible with Martec bathroom remote MBHREM (not included)

DIMENSIONS





PROFILE PANEL 2



White

ACCESSORIES



Bathroom Heater LCD Remote Control Kit



275W E27 Heat Lamp



In-Home Warranty



Ingress Protection



Heat Lamp



High Performance Ball Bearing Motor



High Extraction



Ultra Low Profile



Tricolour

Profile Panel 2

460m³/hr
Maximum Airflow



FEATURES

- Low profile design to suit any bathroom application
- Polypropylene (PP) housing with polycarbonate (PC) fascia
- Built in thermal overload protection
- Back draft stopper included
- Cut-out template included
- Compatible with Martec bathroom remote MBHREM (not included)

BATHROOM


SPECIFICATIONS

BATHROOM HEATER	
EXHAUST FAN WATTAGE	40W
CUTOUT SIZE	435 x 255mm
DECIBEL RATING	≤50dB
HEATING WATTAGE/TYPE	IPX2
LIGHTING WATTAGE/TYPE	2 x 275W heat lamps
COLOUR TEMPERATURE	12W LED
LUMENS OUTPUT	3000K / 4000K / 5000K
MINIMUM CEILING DEPTH	850lm / 900lm / 950lm
ACCESSORIES INCLUDED	1 x 3m duct 2 x clips for ducting 1 x external grille 1 x 3 gang switch wall controller 2 x heat lamps

MODEL	ORDERING CODE
WHITE	MBHN2LW

ACCESSORIES	ORDERING CODE
BATHROOM HEATER LCD REMOTE CONTROL KIT	MBHREM
275W E27 HEAT LAMP	MRL275W

DIMENSIONS



PROFILE PANEL 4



White

ACCESSORIES



Bathroom Heater LCD Remote Control Kit



275W E27 Heat Lamp



2 YEAR
In-Home
Warranty



IPX2
Ingress
Protection



Heat Lamp



High Performance
Ball Bearing Motor



High
Extraction



Ultra Low
Profile



Tricolour

Profile Panel 4

460m³/hr
Maximum Airflow



FEATURES

- Low profile design to suit any bathroom application
- Polypropylene (PP) housing with polycarbonate (PC) fascia
- Built in thermal overload protection
- Back draft stopper included
- Half heat function
- Cut-out template included
- Compatible with Martec bathroom remote MBHREM (not included)

BATHROOM

SPECIFICATIONS


BATHROOM HEATER

EXHAUST FAN WATTAGE	40W
CUTOUT SIZE	435 x 275mm
DECIBEL RATING	≤50dB
HEATING WATTAGE/TYPE	4 x 275W heat lamps
LIGHTING WATTAGE/TYPE	12W LED
COLOUR TEMPERATURE	3000K / 4000K / 5000K
LUMENS OUTPUT	850lm / 900lm / 950lm
MINIMUM CEILING DEPTH	220mm
ACCESSORIES INCLUDED	1 x 3m duct 2 x clips for ducting 1 x external grille 1 x 4 gang switch wall controller 4 x heat lamps

MODEL	ORDERING CODE
WHITE	MBHN4LW

ACCESSORIES	ORDERING CODE
BATHROOM HEATER LCD REMOTE CONTROL KIT	MBHREM
275W E27 HEAT LAMP	MRL275W

DIMENSIONS



PROFILE PLUS 2



White



Silver

ACCESSORIES



Bathroom Heater LCD Remote Control Kit



275W E27 Heat Lamp



6W GU10 Globe 3K



Profile Plus 2

460m³/hr
Maximum Airflow



FEATURES

- Low profile design to suit any bathroom application
- Polypropylene (PP) housing with polycarbonate (PC) fascia
- Built in thermal overload protection
- Back draft stopper included
- Cut-out template included
- Compatible with Martec bathroom remote MBHREM (not included)


BATHROOM

SPECIFICATIONS

BATHROOM HEATER	
EXHAUST FAN WATTAGE	40W
CUTOUT SIZE	435 x 255mm
DECIBEL RATING	≤50dB
HEATING WATTAGE/TYPE	2 x 275W heat lamps
LIGHTING WATTAGE/TYPE	3 x 6W GU10
COLOUR TEMPERATURE	3000K
LUMENS OUTPUT	1080lm
MINIMUM CEILING DEPTH	220mm
ACCESSORIES INCLUDED	1 x 3m duct 2 x clips for ducting 1 x external grille 1 x 3 gang switch wall controller 2 x heat lamps
MODEL	ORDERING CODE
WHITE	MBHP2LW
SILVER	MBHP2LS

ACCESSORIES	ORDERING CODE
BATHROOM HEATER LCD REMOTE CONTROL KIT	MBHREM
275W E27 HEAT LAMP	MRL275W
6W GU10 GLOBE 3K	MBGU306
6W GU10 GLOBE 5K	MBGU506

DIMENSIONS



PROFILE PLUS 4



White



Silver

ACCESSORIES



Bathroom Heater LCD Remote Control Kit



275W E27 Heat Lamp



6W GU10 Globe 3K



2
YEAR
In-Home
Warranty



IPX2
Ingress
Protection



Heat Lamp



High Performance
Ball Bearing Motor



High
Extraction



Ultra Low
Profile

Profile Plus 4

460m³/hr
Maximum Airflow



FEATURES

- Low profile design to suit any bathroom application
- Polypropylene (PP) housing with polycarbonate (PC) fascia
- Built in thermal overload protection
- Back draft stopper included
- Half heat function
- Cut-out template included
- Compatible with Martec bathroom remote MBHREM (not included)

BATHROOM

SPECIFICATIONS


BATHROOM HEATER

EXHAUST FAN WATTAGE	40W
CUTOUT SIZE	435 x 275mm
DECIBEL RATING	≤50dB
HEATING WATTAGE/TYPE	4 x 275W heat lamps
LIGHTING WATTAGE/TYPE	4 x 6W GU10
COLOUR TEMPERATURE	3000K
LUMENS OUTPUT	1080lm
MINIMUM CEILING DEPTH	220mm
ACCESSORIES INCLUDED	1 x 3m duct 2 x clips for ducting 1 x external grille 1 x 4 gang switch wall controller 4 x heat lamps

MODEL	ORDERING CODE
WHITE	MBHP4LW
SILVER	MBHP4LS

ACCESSORIES	ORDERING CODE
BATHROOM HEATER LCD REMOTE CONTROL KIT	MBHREM
275W E27 HEAT LAMP	MRL275W
6W GU10 GLOBE 3K	MBGU306
6W GU10 GLOBE 5K	MBGU506

DIMENSIONS





CONTOUR 1



White



Silver

ACCESSORIES



Bathroom Heater LCD Remote Control Kit



275W E27 Heat Lamp



2 Year In-Home Warranty



Ingress Protection



Heat Lamp



High Performance Ball Bearing Motor



High Extraction

FEATURES


- Modern design to suit any small to medium bathroom application
- Polypropylene (PP) housing with polycarbonate (PC) fascia
- Built in thermal overload protection
- Back draft stopper included
- Cut-out template included
- Compatible with Martec bathroom remote MBHREM (not included)

SPECIFICATIONS

BATHROOM HEATER	
CUTOUT SIZE	166 x 166mm
DECIBEL RATING	≤40dB
HEATING WATTAGE/TYPE	1 x 275W heat lamp
MINIMUM CEILING DEPTH	180mm
ACCESSORIES INCLUDED	1 x external grille Single switch wall controller 1 x heat lamp
MODEL	
WHITE	MBHC1LW
SILVER	MBHC1LS

ACCESSORIES	ORDERING CODE
BATHROOM HEATER LCD REMOTE CONTROL KIT	MBHREM
275W E27 HEAT LAMP	MRL275W

DIMENSIONS



CONTOUR 2



White



Silver

ACCESSORIES



Bathroom Heater LCD Remote Control Kit



275W E27 Heat Lamp



8W 3000k LED R80 Lamp



BATHROOM

SPECIFICATIONS

BATHROOM HEATER	
EXHAUST FAN WATTAGE	25W
CUTOUT SIZE	390 x 220mm
DECIBEL RATING	≤40dB
HEATING WATTAGE/TYPE	2 x 275W heat lamps
LIGHTING WATTAGE/TYPE	8W R80 E27 LED
COLOUR TEMPERATURE	3000K
LUMENS OUTPUT	800lm
MINIMUM CEILING DEPTH	220mm
ACCESSORIES INCLUDED	1 x 1.5m duct 2 x clips for ducting 1 x external grille 1 x 3 gang switch wall controller 2 x heat lamps
MODEL	ORDERING CODE
WHITE	MBHC2LW
SILVER	MBHC2LS

ACCESSORIES	ORDERING CODE
BATHROOM HEATER LCD REMOTE CONTROL KIT	MBHREM
275W E27 HEAT LAMP	MRL275W
8W 3000K LED R80 LAMP	MRL3K8W

Contour 2


240m³/hr
Maximum Airflow



FEATURES

- Modern design to suit any small to medium bathroom application
- Polypropylene (PP) housing with polycarbonate (PC) fascia
- Built in thermal overload protection
- Back draft stopper included
- Cut-out template included
- Compatible with Martec bathroom remote MBHREM (not included)

DIMENSIONS



CONTOUR 4



White



Silver

ACCESSORIES



Bathroom Heater LCD Remote Control Kit



275W E27 Heat Lamp



8W 3000k LED R80 Lamp



High Performance Ball Bearing Motor



High Extraction

Contour 4

250m³/hr
Maximum Airflow



FEATURES

- Modern design to suit any small to medium bathroom application
- Polypropylene (PP) housing with polycarbonate (PC) fascia
- Built in thermal overload protection
- Back draft stopper included
- Half heat function
- Cut-out template included
- Compatible with Martec bathroom remote MBHREM (not included)


BATHROOM

SPECIFICATIONS

BATHROOM HEATER	
EXHAUST FAN WATTAGE	25W
CUTOUT SIZE	300 x 300mm
DECIBEL RATING	≤40dB
HEATING WATTAGE/TYPE	4 x 275W heat lamps
LIGHTING WATTAGE/TYPE	8W R80 E27 LED
COLOUR TEMPERATURE	3000K
LUMENS OUTPUT	800lm
MINIMUM CEILING DEPTH	220mm
ACCESSORIES INCLUDED	1 x 1.5m duct 2 x clips for ducting 1 x external grille 1 x 4 gang switch wall controller 4 x heat lamps
MODEL	ORDERING CODE
WHITE	MBHC4LW
SILVER	MBHC4LS

ACCESSORIES	ORDERING CODE
BATHROOM HEATER LCD REMOTE CONTROL KIT	MBHREM
275W E27 HEAT LAMP	MRL275W
8W 3000K LED R80 LAMP	MRL3K8W

DIMENSIONS





White

ACCESSORIES



275W E27
Heat Lamp



FEATURES

- Slimline profile ideal for installation in ensuites and small bathrooms
- Provides powerful instant heating
- Aluminium housing with metal fascia trim


SPECIFICATIONS

BATHROOM HEATER	
EXHAUST FAN WATTAGE	275W
CUTOUT SIZE	Dia 145mm
HEATING WATTAGE/TYPE	1 x 275W heat lamp
LIGHTING WATTAGE/TYPE	1 x 275W heat lamp
COLOUR TEMPERATURE	2700K
LUMENS OUTPUT	1200lm
MINIMUM CEILING DEPTH	300mm
ACCESSORIES INCLUDED	1 x heat lamp

MODEL	ORDERING CODE
WHITE	MBHU1LW

ACCESSORIES	ORDERING CODE
275W E27 HEAT LAMP	MRL275W

DIMENSIONS



THERMO



White

1
YEAR
Replacement
Warranty

IPX0
Ingress
Protection

100%
50%
Heat
Setting

DIY
Installation

Class II

BATHROOM

FEATURES


- Sleek and compact wall mount bathroom fan heater
- Ideal for installation in ensuites and small bathrooms
- Touchscreen control with 2 settings (1000W & 2000W)
- Polypropylene (PP) housing
- LED temperature display with touch on/off control
- Built in overload protection
- Supplied with 1.5M flex & plug

SPECIFICATIONS

BATHROOM HEATER	
EXHAUST FAN WATTAGE	35W
CUTOUT SIZE	N/A - wall mounted
DECIBEL RATING	≤38dB
HEATING WATTAGE/TYPE	Fan only with 2 settings 1000W/2000W
ACCESSORIES INCLUDED	1.5m flex & plug

MODEL	ORDERING CODE
WHITE	MBHT2000W

DIMENSIONS






EXHAUST FANS

Martec® exhaust fans are available in a range of different shapes and sizes, include IPX ratings and tricolour LED light options. Our exhaust fans are operated by high performance ball bearing motors with superior blade design for maximum air extraction meaning quiet operations. Plus, they are always supplied with flex and plug making installation even easier.

Flow 240 / 295.....	50
Saturn 240 / 295	56
Core 240 / 290	60

FLOW 240 / 295 EXHAUST FAN



2
YEAR
Replacement
Warranty

IPX2
Ingress
Protection

DIY
Installation

Ultra Low
Profile

Class II

Flow 240

290m³/hr

Maximum Airflow

Flow 295

390m³/hr

Maximum Airflow

FEATURES

- Low profile design ideal for installation in bathroom, laundry and any residential and apartments applications
- Swivel quick mount base for easy installation
- Polypropylene (PP) housing with ABS fascia (Flow 240), ABS plastic housing with ABS fascia (Flow 295)
- Built in thermal overload protection
- Side ducting access with draft stopper included
- Compatible with Martec bathroom remote MBHREM (not included)

DIY installation only applicable to exhaust fan models only.


SPECIFICATIONS

EXHAUST FAN	240	295
EXHAUST FAN WATTAGE	45W	60W
CUTOUT SIZE	240mm	295mm
DECIBEL RATING	≤40dB	
MINIMUM CEILING DEPTH	210mm	240mm
ACCESSORIES INCLUDED	1.5m flex & plug	


MODEL	ORDERING CODE	
ROUND	MXFFR25W	MXFFR30W
SQUARE	MXFFS25W	MXFFS30W

DIMENSIONS


ROUND 240 / SQUARE 240



ROUND 295 / SQUARE 295



FLOW 240 / 295 EXHAUST FAN LED



Flow 240	Flow 295
290m³/hr Maximum Airflow	390m³/hr Maximum Airflow

FEATURES

- Low profile design ideal for installation in bathroom, laundry and any residential and apartments applications
- Swivel quick mount base for easy installation
- Polypropylene (PP) housing with ABS fascia (Flow 240), ABS plastic housing with ABS fascia (Flow 295)
- Built in thermal overload protection
- Side ducting access with draft stopper included
- Compatible with Martec bathroom remote MBHREM (not included)

Exhaust fan LED models need to be installed by licensed electricians.

BATHROOM

SPECIFICATIONS


EXHAUST FAN LED	240	295
EXHAUST FAN WATTAGE	45W	72W
CUTOUT SIZE	240mm	295mm
DECIBEL RATING	≤40dB	
LIGHTING WATTAGE/TYPE	12W LED	
COLOUR TEMPERATURE	3000K / 4000K / 5000K	
LUMENS OUTPUT	950lm / 1000lm / 950lm	
MINIMUM CEILING DEPTH	210mm	240mm

MODEL	ORDERING CODE	
ROUND	MXFLFR25W	MXFLFR30W
SQUARE	MXFLFS25W	MXFLFS30W




DIMENSIONS

ROUND 240 / SQUARE 240



ROUND 295 / SQUARE 295





SATURN 240 / 295 EXHAUST FAN



2
YEAR
Replacement
Warranty

IPX4
Ingress
Protection

DIY
Installation

Ultra Low
Profile

Class II

BATHROOM

SPECIFICATIONS

EXHAUST FAN	240	295
EXHAUST FAN WATTAGE	25W	28W
CUTOUT SIZE	240mm	295mm
DECIBEL RATING	≤45dB	
MINIMUM CEILING DEPTH	220mm	
ACCESSORIES INCLUDED	900mm flex & plug	

MODEL	ORDERING CODE	
ROUND	MXFSR20W	MXFSR25W
SQUARE	MXFSS20W	MXFSS25W

Saturn 240

180m³/hr
Maximum Airflow

Saturn 295


320m³/hr
Maximum Airflow

FEATURES

- Low profile design ideal for installation in bathroom, laundry and any residential and apartments applications
- Polypropylene (PP) housing with ABS fascia
- Easy installation clamps to fit and secure fan into ceiling
- High velocity exhaust fan with back draft stopper
- Compatible with Martec bathroom remote MBHREM (not included)
- Exhaust fan LED models need to be installed by licensed electricians

DIY installation only applicable to exhaust fan models only.

DIMENSIONS



SATURN 240 / 295 EXHAUST FAN LED



Saturn 240	Saturn 295
180m³/hr Maximum Airflow	443m³/hr Maximum Airflow

FEATURES

- Low profile design ideal for installation in bathroom, laundry and any residential and apartments applications
- Polypropylene (PP) housing with ABS fascia
- Easy installation clamps to fit and secure fan into ceiling
- High velocity exhaust fan with back draft stopper
- Compatible with Martec bathroom remote MBHREM (not included)
- Exhaust fan LED models need to be installed by licensed electricians

Exhaust fan LED models need to be installed by licensed electricians.

BATHROOM

SPECIFICATIONS

EXHAUST FAN LED	240	290
EXHAUST FAN WATTAGE	25W	45W
CUTOUT SIZE	240mm	295mm
DECIBEL RATING	≤45dB	
LIGHTING WATTAGE/TYPE	17W LED	
COLOUR TEMPERATURE	3000K / 4000K / 5000K	
LUMENS OUTPUT	1200lm / 1400lm / 1200lm	900lm / 1050lm / 900lm
MINIMUM CEILING DEPTH	220mm	
ACCESSORIES INCLUDED	900mm flex & plug	

MODEL	ORDERING CODE	
WHITE	MXFSLR20W	MXFSLR25W
BLACK	MXFSLR20M	MXFSLR25M

2
YEAR
Replacement
Warranty

IPX4
Ingress
Protection


Ultra Low
Profile

Tricolour


Class II

DIMENSIONS

ROUND 240 LED



ROUND 295 LED



CORE 240 / 290 EXHAUST FAN



White 240



White 290

2
YEAR

Replacement
Warranty

DIY
Installation

IPX2

Ingress
Protection

Ultra Low
Profile

Class II

Core 240

310m³/hr

Maximum Airflow

Core 290

540m³/hr

Maximum Airflow

FEATURES

- Traditional design exhaust fan
- High air extraction
- Polypropylene (PP) housing with ABS fascia
- DIY flex and plug supplied for easy installation


SPECIFICATIONS

EXHAUST FAN	240	290
EXHAUST FAN WATTAGE	25W	35W
CUTOUT SIZE	240mm	290mm
DECIBEL RATING	≤40dB	≤50dB
MINIMUM CEILING DEPTH	220mm	
ACCESSORIES INCLUDED	1m flex & plug	


MODEL	ORDERING CODE	
WHITE	MXFC20W	MXFC25W

DIMENSIONS

ROUND 240



ROUND 290





HEATING ACCESSORIES

Martec® offers a range of accessories that are fully compatible with our heating and exhaust fan products. Check these out on our website: martecaustralia.com.au

Remote Control Kit.....64

Lamps 65

REMOTE CONTROL KIT



White

FEATURES

- 1 year in-home warranty
- Easy to use LCD screen
- Frequency range up to 30m with multiple units installed in the same house
- Power capacity up to 1900W
- Compatible with Martec® 2 heat and 4 heat bathroom heaters
- Compatible with Martec® Linear and Aspire bathroom heaters
- Supplied with 9 volt battery
- Full or half heat function on 4 heat unit only

VARIANTS

MODEL	ORDERING CODE
BATHROOM HEATER LCD REMOTE CONTROL KIT	MBHREM

LAMPS

BATHROOM



MRL400W



MRL1000W



MBGU306



MBGU506



MRL3K8W



MRL275W

VARIANTS

MODEL	ORDERING CODE
400W HEAT TUBE	MRL400W
1000W HEAT TUBE	MRL1000W
6W GU10 GLOBE 3000K	MBGU306
6W GU10 GLOBE 5000K	MBGU506
8W R80 LED LAMP 3000K	MRL3K8W
275W E27 HEAT LAMP	MRL275W

IPX RATING

IPX stands for **Ingress Protection**. The “X” simply means that the value for that number is missing. Therefore, the product has no protection against solids like dust and dirt.



WATER

- | | | | | | |
|----------|---|--|----------|--|--|
| 0 | No protection. | | 5 | Protected against low pressure water stream from any angle. | |
| 1 | Protected against condensation or dripping water falling vertically. | | 6 | Protected against high pressure water stream from any angle. | |
| 2 | Protected against spraying water when tilted up to 15 degrees vertically. | | 7 | Protected against water immersion. Immersion for 30 minutes at a depth of up to 1 meter. | |
| 3 | Protected against spraying water when tilted up to 60 degrees vertically. | | 8 | Protected against continual water submersion in under water conditions. | |
| 4 | Protected against splashing water from any angle. | | | | |

BATHROOM HEATER & EXHAUST FAN CALCULATOR

Note: This calculator is a guide only. It does not constitute specific advice from the Martec® team. You should always check your local building codes and requirements before having a new bathroom heater and exhaust fan installed.

This calculator can be accessed via our website
<https://www.martecaustralia.com.au/exhaust-fan-calculator/>



STEP 1:

Select installation location

STEP 2:

Enter your room size

STEP 3:

Product suggestions based on your room size entered





Scan to find out
your closest
store location.

We're more than just exhausts...

Whether it is ceiling fans, LED lighting, bathroom heaters or exhaust fans. Martec will always have the highest quality, best in class and competitively priced solutions to suit every lifestyle.



MARTEC
Cooling



MARTEC
Heating



MARTEC
Lighting

Martec is constantly developing and improving its products. All descriptions, illustrations, drawings and specifications in this publication present only general particulars and shall not form part of any contract. Air movements figures quoted are guide only. All measurements are in millimetres unless otherwise stated.

For In Home Warranty, please visit website for details <https://www.martecaustralia.com.au/warranty-statement/>

The right is reserved to change specifications without prior notification or public announcement. All goods supplied by the company are supplied subject to the company's General Conditions of Sale, a copy of which is available on request.





6 Austool Place Ingleburn NSW 2565
(02) 8778 7500
sales@martec Ltd.com.au

Opening Hours (Mon-Fri):
Warehouse: 7:30am – 3:30pm
Office: 8:00am – 4:00pm

www.martecaustralia.com.au

