





Enhance your living experience with Martec®

After more than six decades Martec® has become one of Australia's leading providers of cooling, lighting, heating and exhaust products. Our focus has always been on providing our customers with the highest quality, best in class and competitively affordable products and solutions to suit every lifestyle.

Our relentless dedication to continuing development, puts Martec® at the forefront of innovation and design. As a result, we are launching a whole **NEW** range of **Smart DC Ceiling Fans** just in time to beat the heat in the hot summer months.

The NEW range come in a wide selection of colours and sizes, as well as 5 stage changeable colour temperature between 2700K to 6000K with variable dimming. These Smart DC Ceilings Fans are highly energy efficient and quiet, and supplied with a **WiFi remote control**. The WiFi remote control has 6 fan speed settings, a unique comfort sleep setting and breeze mode which give you a comfortable sleep throughout the night.

The Martec® Promise

A strong commitment to the principles of quality, service and attention to detail ensures we transform these values into unique and dynamic outcomes that are second to none. In summary, Martec® is committed to providing an unrivalled product and service offer to its many valued customers.

CONTENTS

5

NEW SMART DC CEILING FANS



DC CEILING FANS



AC CEILING FANS



ACCESSORIES





CEILING FAN SIZE GUIDE

	ROOM SIZE / TYPE						
		Study / Small Bedroom	Office / Medium Bedroom / Small Living Room	Large Bedroom / Large Living Room / Home Theatre	Rumpus Room / Large Living Room		
		Up to 12m ² (3.5m x 3.5m)	Up to 18m² (4m x 4.5m)	Up to 30m² (5m x6m)	Up to 40m² (6.5m x 6m)		
Ceil	ling Fan Size	1067mm (42")	1220mm (48")	1320mm (52")	1420mm (56")		
	Viper DC	✓	✓	✓			
	Elite DC	✓	✓				
	Avoca DC		✓	✓			
	Scorpion DC	✓	✓	✓			
Fan	Riviera DC		✓	✓			
ng	Hampton DC		✓	✓			
Smart DC Ceiling	Genoa DC	✓	✓				
000	Carrara DC	✓	✓	✓			
art [Fresno DC		✓	✓			
Sm	Daytona DC		✓	✓			
NEW	Mallorca DC	✓	✓	✓			
H	Norfolk DC	✓	✓				
·	Norfolk Aero DC	Recommended	d for large combined living a	nd dinning areas. Alfresco a	and BBQ areas.		
	Kingston DC	✓	✓				
an	Metro		✓	✓			
g Fi	Newport	✓	✓	✓	✓		
Ceiling Fan	Wave	✓	✓	✓	✓		
Ö	Albatross	Recommended	Recommended for large combined living and dinning areas. Alfresco and BBQ areas.				
DC	Albatross Mini	Recommended	d for large combined living a	nd dinning areas. Alfresco a	and BBQ areas.		
	Discovery II	✓	✓	✓	✓		
Fan	Link	✓	✓				
ing	Lifestyle	✓	✓	✓			
Ceiling	Razor	✓	✓				
AC	Precision	✓	✓	✓	✓		
	Governor	✓	✓	✓	✓		

CEILING FAN APPLICATION GUIDE

ROOM SIZE / TYPE					
Ceiling Fan (DC / AC)		Indoor Use	Covered Outdoor*	Tropical Rated	Coastal Rated
	Viper DC	✓	✓	✓	
	Elite DC	✓	✓		
	Avoca DC	✓	✓		
	Scorpion DC	✓	✓		
Fan	Riviera DC	✓	√ **		
ng	Hampton DC	✓	✓		
iii	Genoa DC	✓	✓		
Smart DC Ceiling	Carrara DC	✓	✓		
r t	Fresno DC	✓	✓		
Sms	Daytona DC	✓	✓	✓	✓
	Mallorca DC	✓	✓		
NEW	Norfolk DC	✓	✓		
	Norfolk Aero DC	✓	✓		
	Kingston DC	✓	✓		
Ę	Metro	✓	✓		
g Fa	Newport	✓	✓		
DC Ceiling Fan	Wave	✓	✓		
ပိ	Albatross	✓	✓		
Ğ	Albatross Mini	✓	✓		
	Discovery II	✓	✓		
Fan	Link	✓			
ng	Lifestyle	✓			
AC Ceiling Fan	Razor	✓			
AC C	Precision	✓	✓	✓	✓
	Governor	✓	✓		

^{*}Covered outdoor means alfresco and BBQ area in a residential dwelling.


/// martecaustralia.com.au martecaustralia.com.au ///

^{**}Matt white and Matt black models only.

Remote Controls Explained

NEW WIFI REMOTE CONTROL

(supplied with **ALL smart** DC ceiling fans see p.12-p.49)





8 /// martecaustralia.com.au



SMART DC CEILING FANS

ADVANTAGES OF DC MOTOR CEILING FANS

High Efficiency

DC motors on average consume less energy than conventional ceiling fan motors.

Speed Control

DC motor controllers provide up to 8 speed settings and an easy to use reversing function for summer and winter operation.

Light Weight

DC motors weigh less than conventional fan motors, resulting in a lighter product that is easier to install for electricians.

Quiet Operation

DC motors are very quiet when in operation, ideal for bedrooms.

Remote Control

Smart DC ceiling fans can be operated via a Smart DC remote control (supplied with unique comfort sleep and breeze mode + 6 other speed settings)

VIPER DC 3

Best-in-class airflow




FEATURES

- Brushless guiet and efficient 36W DC motor
- WiFi connectivity and operate via Smart Life application
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- All ABS body, canopy and blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 18W LED with variable dimming (light model only)
- Variable 5 stage colour temperature between 2700K to 6000K (light model only)

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT	
POWER WATTAGE	36W	36W	
BLADE DIAMETER	1320mm (52")	1320mm (52")	
AIR MOVEMENT m³/hr			
SPEED 6 (HIGHEST)	17,640m³/hr	17,640m³/hr	
SPEED 5	14,200m³/hr	14,200m³/hr	
SPEED 4	13,600m³/hr	13,600m³/hr	
SPEED 3	12,800m³/hr	12,800m³/hr	
SPEED 2	11,400m³/hr	11,400m³/hr	
SPEED 1 (LOWEST)	8,500m³/hr	8,500m³/hr	
BLADE PITCH	14°	14°	
LIGHTING WATTAGE / TYPE	-	18W LED	
COLOUR TEMPERATURE	-	2700K / 3000K / 4000K / 5000K / 6000K	
LUMEN OUTPUT	-	Up to 2120lm	
RATED LIFETIME	-	35,000 hrs @ Ta25°C	
ORDERING CODE	FAN ONLY	FAN LED LIGHT	
MATT WHITE	MVDC133W	MVDC1333W	
MATT BLACK	MVDC133M	MVDC1333M	

ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M

DIMENSIONS



/// martecaustralia.com.au

VIPER DC 4

Best-in-class airflow



FEATURES


14

- Brushless quiet and efficient 36W DC motor
- WiFi connectivity and operate via Smart Life application
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- All ABS body, canopy and blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 18W LED with variable dimming (light model only)
- Variable 5 stage colour temperature between 2700K to 6000K (light model only)

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT	
POWER WATTAGE	36W	36W	
BLADE DIAMETER	1320mm (52")	1320mm (52")	
AIR MOVEMENT m³/hr			
SPEED 6 (HIGHEST)	17,640m³/hr	17,640m³/hr	
SPEED 5	14,200m³/hr	14,200m³/hr	
SPEED 4	13,600m³/hr	13,600m³/hr	
SPEED 3	12,800m³/hr	12,800m³/hr	
SPEED 2	11,400m³/hr	11,400m³/hr	
SPEED 1 (LOWEST)	8,500m³/hr	8,500m³/hr	
BLADE PITCH	14°	14°	
LIGHTING WATTAGE / TYPE	-	18W LED	
COLOUR TEMPERATURE	-	2700K / 3000K / 4000K / 5000K / 6000K	
LUMEN OUTPUT	-	Up to 2120lm	
RATED LIFETIME	-	35,000 hrs @ Ta25°C	
ORDERING CODE	FAN ONLY	FAN LED LIGHT	
MATT WHITE	MVDC134W	MVDC1343W	
MATT BLACK	MVDC134M	MVDC1343M	

ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M

DIMENSIONS




FAN LED LIGHT

/// martecaustralia.com.au martecaustralia.com.au ///

ELITE DC

Timeless design




FEATURES


- Brushless quiet and efficient 36W DC motor
- WiFi connectivity and operate via Smart Life application
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body, canopy and ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 18W LED with variable dimming (light model only)
- Variable 5 stage colour temperature between 2700K to 6000K (light model only)

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT	
POWER WATTAGE	36W	36W	
BLADE DIAMETER	1220mm (48")	1220mm (48")	
AIR MOVEMENT m³/hr			
SPEED 6 (HIGHEST)	14,000m³/hr	14,000m³/hr	
SPEED 5	11,200m³/hr	11,200m³/hr	
SPEED 4	9,120m³/hr	9,120m³/hr	
SPEED 3	7,750m³/hr	7,750m³/hr	
SPEED 2	6,290m³/hr	6,290m³/hr	
SPEED 1 (LOWEST)	4,680m³/hr	4,680m³/hr	
BLADE PITCH	10°	10°	
LIGHTING WATTAGE / TYPE	-	18W LED	
COLOUR TEMPERATURE	-	2700K / 3000K / 4000K / 5000K / 6000K	
LUMEN OUTPUT	-	Up to 1950lm	
RATED LIFETIME	-	30,000 hrs @ Ta25°C	
ORDERING CODE	FAN ONLY	FAN LED LIGHT	
MATT WHITE	MEDC123W	MEDC1233W	
MATT BLACK	MEDC123M	MEDC1233M	
MATT BLACK / WALNUT	MEDC123MW	MEDC1233MW	
ACCESSORIES		ORDERING CODE	

ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M

DIMENSIONS






AVOCA DC

Smart and Wi-Fi connectivity















Smart and Wi-Fi connectivity


SPECIFICATIONS	FAN	FAN ONLY		FAN LED LIGHT	
POWER WATTAGE	45W	45W	45W	45W	
BLADE DIAMETER	1220mm (48")	1320mm (52")	1220mm (48")	1320mm (52")	
AIR MOVEMENT m³/hr					
SPEED 6 (HIGHEST)	10,53	10,530m³/hr		10,530m³/hr	
SPEED 5	9,500)m³/hr	9,500	9,500m³/hr	
SPEED 4	8,100)m³/hr	8,100m³/hr		
SPEED 3	7,050	7,050m³/hr		7,050m³/hr	
SPEED 2	4,800m³/hr		4,800m³/hr		
SPEED 1 (LOWEST)	2,800	2,800m³/hr		2,800m³/hr	
BLADE PITCH	1	10°		0°	
LIGHTING WATTAGE / TYPE		-		20W LED	
COLOUR TEMPERATURE	-		2700K / 3000K / 4000K / 5000K / 6000K		
LUMEN OUTPUT	-		Up to 2500lm		
RATED LIFETIME		-		50,000 hrs @ Ta25°C	
ORDERING CODE	FAN	ONLY	FAN LEI	D LIGHT	
MATT WHITE	MADC123WWR	MADC133WWR	MADC1233WWR	MADC1333WWR	
MATT BLACK	MADC123MMR MADC133MMR		MADC1233MMR	MADC1333MMR	
MATT WHITE / OAK	MADC123WOR	MADC123WOR MADC133WOR		MADC1333WOR	

ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M

FEATURES

- Brushless quiet and efficient 45W DC motor
- WiFi connectivity and operate via Smart Life application
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body, canopy and ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 20W LED with variable dimming (light model only)
- Variable 5 stage colour temperature between 2700K to 6000K (light model only)

DIMENSIONS






Dia 160mm

FAN ONLY

FAN LED LIGHT



SCORPION DC

Robust design





WiFi Remote Control, Light and Timer





Smart DO Ceiling Fan

SCORPION DC

Robust design

SPECIFICATIONS	FAN ONLY		FAN LED LIGHT		
POWER WATTAGE	34W	34W	34W	34W	
BLADE DIAMETER	1066mm (42")	1320mm (52")	1066mm (42")	1320mm (52")	
AIR MOVEMENT m³/hr					
SPEED 6 (HIGHEST)	10,300m³/hr		10,300m³/hr		
SPEED 5	9,020)m³/hr	9,020m³/hr		
SPEED 4	8,540)m³/hr	8,540	8,540m³/hr	
SPEED 3	7,700m³/hr		7,700m³/hr		
SPEED 2	6,680m³/hr		6,680m³/hr		
SPEED 1 (LOWEST)	5,640m³/hr		5,640m³/hr		
BLADE PITCH	13°		13	3°	
LIGHTING WATTAGE / TYPE	<u>-</u>		20W LED		
COLOUR TEMPERATURE	<u>-</u>		2700K / 3000K / 4000K / 5000K / 6000K		
LUMEN OUTPUT	-		Up to 2400lm		
RATED LIFETIME	-		35,000 hrs @ Ta25°C		
ORDERING CODE	FAN ONLY		FAN LED LIGHT		
MATT WHITE	MSDC103W	MSDC133W	MSDC1033W	MSDC1333W	
MATT BLACK	MSDC103M	MSDC133M	MSDC1033M	MSDC1333M	
GRAPHITE / CARBON	-	MSDC133GC	-	MSDC1333GC	


ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M

FEATURES

- Brushless quiet and efficient 34W DC motor
- WiFi connectivity and operate via Smart Life application
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body, canopy and ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 20W LED with variable dimming (light model only)
- Variable 5 stage colour temperature between 2700K to 6000K (light model only)

DIMENSIONS






FAN ONLY

FAN LED LIGHT

RIVIERA DC

Slim by design



FEATURES

26


- Brushless quiet and efficient 33W DC motor
- WiFi connectivity and operate via Smart Life application
- Slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body, canopy and ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 18W LED with variable dimming (light model only)
- Variable 5 stage colour temperature between 2700K to 6000K (light model only)

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	33W	33W
BLADE DIAMETER	1320mm (52")	1320mm (52")
AIR MOVEMENT m³/hr		
SPEED 6 (HIGHEST)	12,000m³/hr	12,000m³/hr
SPEED 5	10,000m³/hr	10,000m³/hr
SPEED 4	8,000m³/hr	8,000m³/hr
SPEED 3	6,000m³/hr	6,000m³/hr
SPEED 2	4,000m³/hr	4,000m³/hr
SPEED 1 (LOWEST)	2,000m³/hr	2,000m³/hr
BLADE PITCH	13°	13°
LIGHTING WATTAGE / TYPE	-	18W LED
COLOUR TEMPERATURE	-	2700K / 3000K / 4000K / 5000K / 6000K
LUMEN OUTPUT	-	Up to 1885lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
MATT WHITE	MRDC133W	MRDC1333W
MATT BLACK	MRDC133M	MRDC1333M
ANTIQUE BRONZE / CHARCOAL	MRDC133ACH*	MRDC1333ACH*

^{*}Indoor applications only.

ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
900mm Downrod WiFi Antique Bronze	MDRDWIFI36AB
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M

DIMENSIONS



Smart DC Ceiling Fans

HAMPTON DC

A statement in style




FEATURES


- Brushless quiet and efficient 40W DC motor
- WiFi connectivity and operate via Smart Life application
- Slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body, canopy and ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 18W LED with variable dimming (light model only)
- Variable 5 stage colour temperature between 2700K to 6000K (light model only)

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	40W	40W
BLADE DIAMETER	1320mm (52")	1320mm (52")
AIR MOVEMENT m³/hr		
SPEED 6 (HIGHEST)	15,600m³/hr	15,600m³/hr
SPEED 5	12,700m³/hr	12,700m³/hr
SPEED 4	9,260m³/hr	9,260m³/hr
SPEED 3	7,900m³/hr	7,900m³/hr
SPEED 2	6,440m³/hr	6,440m³/hr
SPEED 1 (LOWEST)	4,860m³/hr	4,860m³/hr
BLADE PITCH	14°	14°
LIGHTING WATTAGE / TYPE	-	18W LED
COLOUR TEMPERATURE	-	2700K / 3000K / 4000K / 5000K / 6000K
LUMEN OUTPUT	-	Up to 1955lm
RATED LIFETIME	-	30,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
MATT WHITE	MHDC134W	MHDC1343W
MATT BLACK	MHDC134M	MHDC1343M
MATT WHITE / OAK	MHDC134WO	MHDC1343WO

ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M

DIMENSIONS





FAN ONLY

FAN LED LIGHT

GENOA DC

Minimal sophistication




FEATURES

- Brushless quiet and efficient 33W DC motor
- WiFi connectivity and operate via Smart Life application
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body, canopy and ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 16W LED with variable dimming (light model only)
- Variable 5 stage colour temperature between 2700K to 6000K (light model only)

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	33W	33W
BLADE DIAMETER	1270mm (50")	1270mm (50")
AIR MOVEMENT m³/hr		
SPEED 6 (HIGHEST)	14,000m³/hr	14,000m³/hr
SPEED 5	11,425m³/hr	11,425m³/hr
SPEED 4	9,690m³/hr	9,690m³/hr
SPEED 3	7,500m³/hr	7,500m³/hr
SPEED 2	TBA	TBA
SPEED 1 (LOWEST)	4,660m³/hr	4,660m³/hr
BLADE PITCH	17°	17°
LIGHTING WATTAGE / TYPE	-	16W LED
COLOUR TEMPERATURE	-	2700K / 3000K / 4000K / 5000K / 6000K
LUMEN OUTPUT	-	Up to 1885lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
MATT WHITE	MGDC133W	MGDC1333W
MATT BLACK	MGDC133M	MGDC1333M

ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M

DIMENSIONS



FAN LED LIGHT

CARRARA DC

Small room performer


























FEATURES

- Brushless quiet and efficient 33W DC motor
- WiFi connectivity and operate via Smart Life application
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body, canopy and ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 16W LED with variable dimming (light model only)
- Variable 5 stage colour temperature between 2700K to 6000K (light model only)

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	33W	33W
BLADE DIAMETER	1220mm (48")	1220mm (48")
AIR MOVEMENT m³/hr		
SPEED 6 (HIGHEST)	13,800m³/hr	13,800m³/hr
SPEED 5	11,270m³/hr	11,270m³/hr
SPEED 4	9,410m³/hr	9,410m³/hr
SPEED 3	7,250m³/hr	7,250m³/hr
SPEED 2	4,520m³/hr	4,520m³/hr
SPEED 1 (LOWEST)	2,500m³/hr	2,500m³/hr
BLADE PITCH	15°	15°
LIGHTING WATTAGE / TYPE	-	16W LED
COLOUR TEMPERATURE	-	2700K / 3000K / 4000K / 5000K / 6000K
LUMEN OUTPUT	-	1885lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
MATT WHITE	MCDC124W	MCDC1243W
MATT BLACK	MCDC124M	MCDC1243M

DIMENSIONS



Smart DC Ceiling Fans

FRESNO DC

Stylish practicality



SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	33W	33W
BLADE DIAMETER	1320mm (52")	1320mm (52")
AIR MOVEMENT m³/hr		
SPEED 6 (HIGHEST)	14,700m³/hr	14,700m³/hr
SPEED 5	12,170m³/hr	12,170m³/hr
SPEED 4	10,170m³/hr	10,170m³/hr
SPEED 3	7,830m³/hr	7,830m³/hr
SPEED 2	4,890m³/hr	4,890m³/hr
SPEED 1 (LOWEST)	2,500m³/hr	2,500m³/hr
BLADE PITCH	15°	15°
LIGHTING WATTAGE / TYPE	-	16W LED
COLOUR TEMPERATURE	-	2700K / 3000K / 4000K / 5000K / 6000K
LUMEN OUTPUT	-	Up to 1415lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
MATT WHITE	MFDC133W	MFDC1333W
MATT BLACK	MFDC133M	MFDC1333M


FEATURES

- Brushless quiet and efficient 33W DC motor
- WiFi connectivity and operate via Smart Life application
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings

Matt White

- Steel body, canopy and ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 16W LED with variable dimming (light model only)
- Variable 5 stage colour temperature between 2700K to 6000K (light model only)

DIMENSIONS



DAYTONA DC

IP55 rated





FAN ONLY



Supplied

WiFi Remote Control and Timer


















FEATURES


- Brushless quiet and efficient 33W DC motor
- WiFi connectivity and operate via Smart Life application
- IP55 rated ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- All ABS body, canopy and blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 24W LED with variable dimming (light model only)
- Variable 5 stage colour temperature between 2700K to 6000K (light model only)
- Supplied with 2 downrods

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	33W	33W
BLADE DIAMETER	1320mm (52")	1320mm (52")
AIR MOVEMENT m³/hr		
SPEED 6 (HIGHEST)	11,300m³/hr	11,300m³/hr
SPEED 5	8,940m³/hr	8,940m³/hr
SPEED 4	8,340m³/hr	8,340m³/hr
SPEED 3	6,060m³/hr	6,060m³/hr
SPEED 2	5,340m³/hr	5,340m³/hr
SPEED 1 (LOWEST)	3,780m³/hr	3,780m³/hr
BLADE PITCH	18°	18°
LIGHTING WATTAGE / TYPE	-	24W LED
COLOUR TEMPERATURE	-	2700K / 3000K / 4000K / 5000K / 6000K
LUMEN OUTPUT	-	Up to 2360lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
MATT BLACK	MDDC133M	MDDC1333M

DIMENSIONS







FAN LED LIGHT

MALLORCA DC

Architecturally designed



FEATURES

- Brushless guiet and efficient 32W DC motor
- WiFi connectivity and operate via Smart Life application
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body, canopy and solid timber blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 20W LED with variable dimming (light model only)
- Variable 5 stage colour temperature between 2700K to 6000K (light model only)

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	32W	32W
BLADE DIAMETER	1320mm (52")	1320mm (52")
AIR MOVEMENT m³/hr		
SPEED 6 (HIGHEST)	8,540m³/hr	8,540m³/hr
SPEED 5	7,995m³/hr	7,995m³/hr
SPEED 4	7,100m³/hr	7,100m³/hr
SPEED 3	6,250m³/hr	6,250m³/hr
SPEED 2	5,265m³/hr	5,265m³/hr
SPEED 1 (LOWEST)	4,120m³/hr	4,120m³/hr
BLADE PITCH	8°	8°
LIGHTING WATTAGE / TYPE	-	20W LED
COLOUR TEMPERATURE	-	2700K / 3000K / 4000K / 5000K / 6000K
LUMEN OUTPUT	-	Up to 2120lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
MATT WHITE / NATURAL	MMDC133WN	MMDC1333WN
MATT BLACK / WALNUT	MMDC133MW	MMDC1333MW

ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M

DIMENSIONS

FAN ONLY







Dia 154mm

38 /// martecaustralia.com.au

Smart DC Ceiling Fans

MALLORCA MINI DC

Architecturally designed




FEATURES


- Brushless guiet and efficient 32W DC motor
- WiFi connectivity and operate via Smart Life application
- Low ceiling and slimline designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body, canopy and solid timber blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 20W LED with variable dimming (light model only)
- Variable 5 stage colour temperature between 2700K to 6000K (light model only)

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	32W	32W
BLADE DIAMETER	1066mm (42")	1066mm (42")
AIR MOVEMENT m³/hr		
SPEED 6 (HIGHEST)	8,540m³/hr	8,540m³/hr
SPEED 5	7,995m³/hr	7,995m³/hr
SPEED 4	7,100m³/hr	7,100m³/hr
SPEED 3	6,250m³/hr	6,250m³/hr
SPEED 2	5,265m³/hr	5,265m³/hr
SPEED 1 (LOWEST)	4,120m³/hr	4,120m³/hr
BLADE PITCH	8°	8°
LIGHTING WATTAGE / TYPE	-	20W LED
COLOUR TEMPERATURE	-	2700K / 3000K / 4000K / 5000K / 6000K
LUMEN OUTPUT	-	Up to 2120lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
MATT WHITE / NATURAL	MMDC103WN	MMDC1033WN
MATT BLACK / WALNUT	MMDC103MW	MMDC1033MW

ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M

DIMENSIONS





Dia 154mm

FAN ONLY

FAN LED LIGHT



NORFOLK DC

Functional elegance





Summer/Winter Reverse Function





WiFi Remote Control and Timer


















Smart I Ceiling Fa

NORFOLK DC

Functional elegance


SPECIFICATIONS	FAN ONLY		FAN LED LIGHT		
POWER WATTAGE	18W	32W	18W	32W	
BLADE DIAMETER	1220mm (48")	1420mm (56")	1220mm (48")	1420mm (56")	
AIR MOVEMENT m³/hr					
SPEED 6 (HIGHEST)	8,860m³/hr	9,950m³/hr	8,860m³/hr	9,950m³/hr	
SPEED 5	5,610m³/hr	7,850m³/hr	5,610m³/hr	7,850m³/hr	
SPEED 4	4,520m³/hr	6,780m³/hr	4,520m³/hr	6,780m³/hr	
SPEED 3	5,367m³/hr	5,530m³/hr	5,367m³/hr	5,530m³/hr	
SPEED 2	4,168m³/hr	4,080m³/hr	4,168m³/hr	4,080m³/hr	
SPEED 1 (LOWEST)	3,780m³/hr	3,260m³/hr	3,780m³/hr	3,260m³/hr	
BLADE PITCH	9°		9°		
LIGHTING WATTAGE / TYPE		-	20W LED		
COLOUR TEMPERATURE		-	2700K / 3000K / 4000K / 5000K / 6000K		
LUMEN OUTPUT		-	Up to 2420lm		
RATED LIFETIME		-		35,000 hrs @ Ta25°C	
ORDERING CODE	FAN ONLY		FAN LED	LIGHT	
MATT WHITE / NATURAL	MNDC123WN	MNDC143WN	MNDC1233WN	MNDC1433WN	
MATT WHITE / WHITE WASH	MNDC123WW	MNDC143WW	MNDC1233WW	MNDC1433WW	
MATT BLACK / WALNUT	MNDC123MW	MNDC143MW	MNDC1233MW	MNDC1433MW	

ACCESSORIES	ORDERING CODE
900mm Downrod WiFi Matt White	MDRDWIFI36W
900mm Downrod WiFi Matt Black	MDRDWIFI36M
1800mm Downrod WiFi Matt White	MDRDWIFI72W
1800mm Downrod WiFi Matt Black	MDRDWIFI72M

FEATURES

- Brushless quiet and efficient 18W or 32W DC motor
- WiFi connectivity and operate via Smart Life application
- Low profile designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body, canopy and solid timber blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 20W LED with variable dimming (light model only)
- Variable 5 stage colour temperature between 2700K to 6000K (light model only)

DIMENSIONS





FAN ONLY

FAN LED LIGHT

NORFOLK AERO DC

Form meets function



FEATURES

46

- Brushless quiet and efficient 30W or 50W DC motor
- WiFi connectivity and operate via Smart Life application
- Low profile designed ideal for indoor and covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body, canopy and solid timber blades
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control

NB: Motor and blades are sold separately. Choose your motor (Step 1) and blade pack (Step 2) from below to order a complete unit.


Step 1.

ORDERING CODE	MOTOR ONLY
MATT WHITE	MNDCW
MATT BLACK	MNDCM

Step 2

itep 2.			
SPECIFICATIONS	BLADE PACK		
BLADE DIAMETER	1765MM (70") 2175mm (86")		
POWER WATTAGE	30W 50W		
AIR MOVEMENT m³/hr			
SPEED 6 (HIGHEST)	10,200m³/hr	12,750m³/hr	
SPEED 5	9,052m³/hr	11,201m³/hr	
SPEED 4	8,521m³/hr	9,287m³/hr	
SPEED 3	6,878m³/hr	8,214m³/hr	
SPEED 2	5,230m³/hr	6,973m ³ /hr	
SPEED 1 (LOWEST)	3,150m³/hr	4,913m³/hr	
BLADE PITCH	9° 9°		
ORDERING CODE	FAN	ONLY	
IATURAL	MNB180N	MNB220N	
VHITE WASH	MNB180WW	MNB220WW	
WALNUT	MNB180W MNB220W		
ACCESSORIES		ORDERING CODE	
900mm Downrod WiFi Matt White		MDRDWIFI36W	
900mm Downrod WiFi Matt Black		MDRDWIFI36M	
1800mm Downrod WiFi Matt White		MDRDWIFI72W	
1800mm Downrod WiFi Matt Black		MDRDWIFI72M	

DIMENSIONS



FAN ONLY

/// martecaustralia.com.au martecaustralia.com.au ///



KINGSTON DC

Outdoor entertainer















Old Bronze / Walnut







WiFi Remote Control and Timer



Matt White / White Wash





Old Bronze / Walnut

FAN LED LIGHT

Supplied







Matt White / White Wash

FEATURES

- Brushless quiet and efficient 32W DC motor
- WiFi connectivity and operate via Smart Life application
- Robust palm leaf designed ideal for covered outdoor applications
- Unique comfort sleep and breeze mode + 6 other speed settings
- Steel body, canopy and ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 8 speed remote control
- 20W LED with variable dimming (light model only)
- Variable 5 stage colour temperature between 2700K to 6000K (light model only)

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	32W	32W
BLADE DIAMETER	1265mm (50")	1265mm (50")
AIR MOVEMENT m³/hr		
SPEED 6 (HIGHEST)	9,200m³/hr	9,200m³/hr
SPEED 5	8,082m³/hr	8,082m³/hr
SPEED 4	6,701m³/hr	6,701 m³/hr
SPEED 3	5,927m³/hr	5,927m³/hr
SPEED 2	5,032m³/hr	5,032m³/hr
SPEED 1 (LOWEST)	3,545m³/hr	3,545m³/hr
BLADE PITCH	12°	12°
LIGHTING WATTAGE / TYPE	-	20W LED
COLOUR TEMPERATURE	-	2700K / 3000K / 4000K / 5000K / 6000K
LUMEN OUTPUT	-	Up to 2420lm
RATED LIFETIME	-	3,500 hours @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
MATT WHITE / WHITE WASH	MKDC124W	MKDC1243W
OLD BRONZE / WALNUT	MKDC1240B	MKDC1243OB
ACCESSORIES		ORDERING CODE
900mm Downrod WiFi Matt White		MDRDWIFI36W
900mm Downrod WiFi Old Bronze		MDRDWIFI360B
1800mm Downrod WiFi Matt White		MDRDWIFI72W

DIMENSIONS





FAN ONLY

FAN LED LIGHT



DC CEILING FANS

ADVANTAGES OF DC MOTOR CEILING FANS

High Efficiency

DC motors on average consume less energy than conventional

ceiling fan motors.

Speed Control

DC motor controllers provide up to 5 speed settings and an easy to use reversing function for summer and

winter operation.

Light Weight

DC motors weigh less than conventional fan motors, resulting in a lighter product that is easier to

install for electricians.

Quiet Operation

DC motors are very quiet when

in operation, ideal for bedrooms.

Remote Control

DC Ceiling fans can be operated via a DC remote control (supplied).

METRO

Low ceiling solution













5 Speed Remote Control and Timer




















FEATURES

- Brushless quiet and efficient 35W DC motor
- Low ceiling and slimline design. Ideal for indoor and covered outdoor applications
- Metal body, canopy and ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Must be installed on a flat level surface
- Supplied with 5 speed remote control
- 15W tricolour LED with 3 step switch dimming (light model only)
- Switchable colour temperature between 3000K, 4000K and 5000K (light model only)

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	35W	35W
BLADE DIAMETER	1320mm (52")	1320mm (52")
AIR MOVEMENT m³/hr		
SPEED 1 (HIGHEST)	14,200m³/hr	14,200m³/hr
SPEED 2	12,600m³/hr	12,600m³/hr
SPEED 3	11,100m³/hr	11,100m³/hr
SPEED 4	8,400m³/hr	8,400m³/hr
SPEED 5 (LOWEST)	5,100m³/hr	5,100m³/hr
BLADE PITCH	12°	12°
LIGHTING WATTAGE / TYPE	-	15W LED
COLOUR TEMPERATURE	-	3000K / 4000K / 5000K
LUMEN OUTPUT	-	1450lm / 1650lm / 1600lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
WHITE SATIN	MMDC133WSR	MMDC1333WSR
MATT BLACK	MMDC133MMR MMDC1333MMR	
WHITE / OAK	MMDC133WOR	MMDC1333WOR

DIMENSIONS



martecaustralia.com.au ///



NEWPORT

Contemporary style





NEWPORT

Contemporary style

SPECIFICATIONS	FAN ONLY	
POWER WATTAGE	35W	
BLADE DIAMETER	1420mm (56")	
AIR MOVEMENT m³/hr		
SPEED 1 (HIGHEST)	13,000m³/hr	
SPEED 2	9,400m³/hr	
SPEED 3	8,400m³/hr	
SPEED 4	7,200m³/hr	
SPEED 5 (LOWEST)	5,700m³/hr	
BLADE PITCH	15°	
ORDERING CODE	FAN ONLY	
WHITE SATIN	MNF143WWR	
MATT BLACK	MNF143MMR	
OLD BRONZE / OAK	MNF143OWR	
WHITE / OAK	MNF143WOR	


ACCESSORIES	ORDERING CODE
900mm Downrod White Satin 25mm Dia	MDRD36WST
900mm Downrod Matt Black 25mm Dia	MDRD36MT
900mm Downrod Old Bronze 25mm Dia	MDRD36OT
1800mm Downrod White Satin 25mm Dia	MDRD72WST
1800mm Downrod Matt Black 25mm Dia	MDRD72MT
1800MM Downrod Old Bronze 25mm Dia	MDRD72OT

FEATURES

- Brushless quiet and efficient 35W DC motor
- Contemporary style ideal for indoor and covered outdoor applications
- Metal body, canopy and ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 5 speed remote control
- 18W tricolour LED with 3 step switch dimming (light model only)
- Switchable colour temperature between 3000K, 4000K and 5000K (light model only)

SPECIFICATIONS	FAN LED LIGHT	
POWER WATTAGE	35W	
BLADE DIAMETER	1420mm (56")	
AIR MOVEMENT m³/hr		
SPEED 1 (HIGHEST)	13,000m³/hr	
SPEED 2	9,400m³/hr	
SPEED 3	8,400m³/hr	
SPEED 4	7,200m³/hr	
SPEED 5 (LOWEST)	5,700m³/hr	
BLADE PITCH	15°	
LIGHTING WATTAGE / TYPE	18W LED	
COLOUR TEMPERATURE	3000K / 4000K / 5000K	
LUMEN OUTPUT	1700lm / 1750lm / 1780lm	
RATED LIFETIME	35,000 hrs @ Ta25°C	
ORDERING CODE	FAN LED LIGHT	
WHITE SATIN	MNF1433WWR	
MATT BLACK	MNF1433MMR	
OLD BRONZE / OAK	MNF1433OWR	
WHITE / OAK	MNF1433WOR	

DIMENSIONS





DC Ceiling Fa

59

Sleek and modern

WAVE





FEATURES


58

- Brushless quiet and efficient 35W DC motor
- Robust designed ideal for indoor and covered outdoor applications
- Metal body, canopy and ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 5 speed remote control
- 18W tricolour LED with 3 step switch dimming (light model only)
- Switchable colour temperature between 3000K, 4000K and 5000K (light model only)

SPECIFICATIONS	FAN ONLY		FAN LEI	DLIGHT
POWER WATTAGE	35W	35W	35W	35W
BLADE DIAMETER	1320mm (52")	1520mm (60")	1320mm (52")	1520mm (60")
AIR MOVEMENT m³/hr				
SPEED 1 (HIGHEST)	12,500m³/hr	13,500m³/hr	12,500m³/hr	13,500m³/hr
SPEED 2	10,375m³/hr	11,200m³/hr	10,375m³/hr	11,200m³/hr
SPEED 3	8,890m³/hr	9,600m³/hr	8,890m³/hr	9,600m³/hr
SPEED 4	7,325m³/hr	7,910m³/hr	7,325m³/hr	7,910m³/hr
SPEED 5 (LOWEST)	5,440m³/hr	5,875m³/hr	5,440m³/hr	5,875m³/hr
BLADE PITCH	13°		13°	
LIGHTING WATTAGE / TYPE	18W LED		LED	
COLOUR TEMPERATURE	-	-	3000K / 4000K / 5000K	
LUMEN OUTPUT	-	-	1850lm / 2100lm / 2000lm	
RATED LIFETIME	-	-	35,000 hrs @ Ta25°C	
ORDERING CODE	FAN ONLY		FAN LEI	DLIGHT
WHITE SATIN	MWF133WSR	MWF163WSR	MWF1333WSR	MWF1633WSR
MATT BLACK	MWF133MMR	MWF163MMR	MWF1333MMR	MWF1633MMR

ACCESSORIES	ORDERING CODE
900mm Downrod White Satin	MDRD36WS
900mm Downrod Matt Black	MDRD36M
1800mm Downrod White Satin	MDRD72WS
1800mm Downrod Matt Black	MDRD72M

DIMENSIONS



FAN ONLY FAN LED LIGHT



ALBATROSS

Large fan leader





3 Step Switch Dimming





FAN ONLY Supplied With



5 Speed Remote Control and Timer







FAN LED LIGHT Supplied With



5 Speed Remote Control, Light and Timer





ALBATROSS

Large fan leader

NB: Motor and blades are sold separately. Choose your motor (Step 1) and blade pack (Step 2) from below to order a complete unit.

Step 1.

SPECIFICATIONS	MOTOR ONLY	MOTOR LED LIGHT
POWER WATTAGE	35W	35W
LIGHTING WATTAGE / TYPE	-	24W LED
COLOUR TEMPERATURE	-	3000K / 4000K / 5000K
LUMEN OUTPUT	-	2180lm / 2560lm / 2470lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
WHITE	MAFWWR	MAFML3WR
MATT BLACK	MAFMMR	MAFML3MR
BRUSHED NICKEL	MAFMBR	MAFML3MR

FEATURES

62


- Brushless quiet and efficient 35W DC motor
- Robust designed ideal for indoor and covered outdoor applications
- All aluminium body, canopy and 6 blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode from remote control
- Supplied with 5 speed remote control
- 24W tricolour LED with 3 step switch dimming (light model only)
- Switchable colour temperature between 3000K, 4000K and 5000K (light model only)

Step 2.

SPECIFICATIONS	BLADI	E PACK
BLADE DIAMETER	1800mm (72")	2100mm (84")
AIR MOVEMENT m³/hr		
SPEED 1 (HIGHEST)	15,600m³/hr	16,800m³/hr
SPEED 2	12,950m³/hr	13,950m³/hr
SPEED 3	11,090m³/hr	11,950m³/hr
SPEED 4	9,140m³/hr	9,850m³/hr
SPEED 5 (LOWEST)	6,790m³/hr	7,310m³/hr
BLADE PITCH	17°	17°
ORDERING CODE		
WHITE	MAF180W	MAF210W
MATT BLACK	MAF180M	MAF210M
BRUSHED NICKEL	MAF180B	MAF210B

ACCESSORIES	ORDERING CODE
900mm Downrod White	MDRD36W
900mm Downrod Matt Black	MDRD36M
900mm Downrod Brushed Nickel	MDRD36N
1800mm Downrod White	MDRD72W
1800mm Downrod Matt Black	MDRD72M

DIMENSIONS





FAN ONLY

FAN LED LIGHT

/// martecaustralia.com.au /// martecaustralia.com.au ///



ALBATROSS MINI

Hi flow for smaller spaces



















5 Speed Remote Control and Timer






FEATURES

- Brushless quiet and efficient 35W DC motor
- Robust designed ideal for indoor and covered outdoor applications
- All aluminium body, canopy and 8 blades
- Fully reversible for summer and winter mode from remote control
- Supplied with 5 speed remote control

SPECIFICATIONS	FAN ONLY
POWER WATTAGE	35W
BLADE DIAMETER	1650mm (65")
AIR MOVEMENT m³/hr	
SPEED 1 (HIGHEST)	14,400m³/hr
SPEED 2	11,950m³/hr
SPEED 3	10,240m³/hr
SPEED 4	8,440m³/hr
SPEED 5 (LOWEST)	6,270m³/hr
BLADE PITCH	17°
ORDERING CODE	FAN ONLY
WHITE	MAF168WR
MATT BLACK	MAF168MR
BRUSHED NICKEL	MAF168BR

ORDERING CODE	
MDRD36W	
MDRD36M	
MDRD36N	
MDRD72W	
MDRD72M	

DIMENSIONS



FAN ONLY

/// martecaustralia.com.au martecaustralia.com.au ///





AC CEILING FANS

ADVANTAGES OF AC MOTOR CEILING FANS

Remote Control

AC motor ceiling fans provide more options for controllers. Choices from remote controls to a simple switch.

Low Cost

AC ceiling fans use less electricity than most household appliances especially air conditioners.
A standard AC powered ceiling fan will use less than 100W on the highest speed with the majority of models using much less.

More Choices

AC motor ceiling fans have been on the market for a while now. There are plenty of different options and styles for you to choose from that will be within your budget.



DISCOVERY II

ABS versatility















FAN LED LIGHT



DISCOVERY II

ABS versatility

SPECIFICATIONS	FAN ONLY		
POWER WATTAGE	65W	65W	65W
BLADE DIAMETER	1220mm (48")	1320mm (52")	1420mm (56")
AIR MOVEMENT m³/hr	11,835m³/hr	13,450m³/hr	15,260m³/hr
BLADE PITCH	13°	13°	10°
ORDERING CODE		FAN ONLY	
WHITE SATIN	MDF124W	MDF134W	MDF144W
MATT BLACK	MDF124M	MDF134M	MDF144M

ORDERING CODE	
MDRA36WS	
MDRA36M	
MDRA72WS	
MDRA72M	
MPREMS	
MPLCDS	
MPWIFI	

SPECIFICATIONS	FAN LED LIGHT		
POWER WATTAGE	65W	65W	65W
BLADE DIAMETER	1220mm (48")	1320mm (52")	1420mm (56")
AIR MOVEMENT m³/hr			
SPEED 1 (HIGHEST)	11,835m³/hr	13,450m³/hr	15,260m³/hr
SPEED 2	9,580m³/hr	10,200m³/hr	10,650m³/hr
SPEED 3 (LOWEST)	6,450m³/hr	7,100m³/hr	7,700m³/hr
BLADE PITCH	13°	13°	10°
LIGHTING WATTAGE / TYPE	15W LED		
COLOUR TEMPERATURE	3000K / 4000K / 5000K		
LUMEN OUTPUT	1580lm / 1745lm / 1690lm		
RATED LIFETIME	35,000 hrs @ Ta25°C		
ORDERING CODE		FAN LED LIGHT	
WHITE SATIN	MDF1243W	MDF1343W	MDF1443W
MATT BLACK	MDF1243M	MDF1343M	MDF1443M

FEATURES

70

- Powerful and efficient 65W AC motor
- Low profile designed ideal for indoor and covered outdoor applications
- All ABS body, canopy and blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode
- 15W tricolour LED with 3 step switch dimming (light model only)
- Switchable colour temperature between 3000K, 4000K and 5000K (light model only)

DIMENSIONS



Dia 1220mm / 1320mm / 1420mm

Dia 1220mm / 1320mm / 12

FAN ONLY

FAN LED LIGHT

/// martecaustralia.com.au /// martecaustralia.com.au ///





LINK

Best value











FAN ONLY





FAN LED LIGHT



FAN E27* Light





martecaustralia.com.au



Best value

Ceiling Fans	AC

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT	FAN E27* LIGHT
POWER WATTAGE	55W	55W	55W
BLADE DIAMETER	1220mm (48")	1220mm (48")	1220mm (48")
AIR MOVEMENT m³/hr			
SPEED 1 (HIGHEST)	7,600m³/hr	7,600m³/hr	7,600m³/hr
SPEED 2	5,020m³/hr	5,020m³/hr	5,020m³/hr
SPEED 3 (LOWEST)	3,670m³/hr	3,670m ³ /hr	3,670m³/hr
BLADE PITCH	11°	11°	11°
LIGHTING WATTAGE / TYPE	-	15W LED	-
COLOUR TEMPERATURE	-	3000K / 4000K / 5000K	-
LUMEN OUTPUT	-	1450lm / 1650lm / 1600lm	-
RATED LIFETIME	-	35,000 hrs @ Ta25°C	-
ORDERING CODE	FAN ONLY	FAN LED LIGHT	FAN E27* LIGHT
WHITE	FSL124W	FSL1243W	FSL1244W
MATT BLACK	FSL124M	FSL1243M	FSL1244M
WHITE + REMOTE	-	FSL1243WR**	FSL1244WR**

^{*}Supplied with 2x E27 lamp holders. Globe not included.

ACCESSORIES	ORDERING CODE
900mm Downrod White	MDRA36W
900mm Downrod Matt Black	MDRA36M
1800mm Downrod White	MDRA72W
1800mm Downrod Matt Black	MDRA72M
Premier Remote Control Kit	MPREMS
Premium Remote Control Kit	MPLCDS
Smart Remote Control Kit	MPWIFI

FEATURES

74

- Powerful and efficient 55W AC motor
- Low profile designed ideal for indoor applications
- Metal body, canopy and plywood blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode
- 15W tricolour LED with 3 step switch dimming (light model only)
- Switchable colour temperature between 3000K, 4000K and 5000K (light model only)
- E27 light model available (globes not included)

DIMENSIONS



/// martecaustralia.com.au /// martecaustralia.com.au ///

^{**}Supplied with remote control



LIFESTYLE

Elegant and functional













E27

FAN LED LIGHT



FAN E27* Light





LIFESTYLE

Elegant and functional

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT	FAN E27* LIGHT
POWER WATTAGE	60W	60W	60W
BLADE DIAMETER	1320mm (52")	1320mm (52")	1320mm (52")
AIR MOVEMENT m³/hr			
SPEED 1 (HIGHEST)	9,600m³/hr	9,600m³/hr	9,600m³/hr
SPEED 2	7,600m³/hr	7,600m³/hr	7,600m³/hr
SPEED 3 (LOWEST)	5,600m ³ /hr	5,600m³/hr	5,600m³/hr
BLADE PITCH	12.5°	12.5°	12.5°
LIGHTING WATTAGE / TYPE	-	24W LED	-
COLOUR TEMPERATURE	-	3000K / 4000K / 5000K	-
LUMEN OUTPUT	-	2180lm / 2560lm / 2470lm	-
RATED LIFETIME	-	35,000 hrs @ Ta25°C	-
ORDERING CODE	FAN ONLY	FAN LED LIGHT	FAN E27* LIGHT
WHITE	DLS134W	DLS1343W	DLS1344W
MATT BLACK	DLS134M	DLS1343M	DLS1344M
BRUSHED ALUMINIUM	DLS134B	DLS1343B	DLS1344B


^{*}Supplied with 2x E27 lamp holders. Globe not included.

ACCESSORIES	ORDERING CODE
900mm Downrod White	MDRA36W
900mm Downrod Matt Black	MDRA36M
900mm Downrod Brushed Aluminium	MDRA36B
1800mm Downrod White	MDRA72W
1800mm Downrod Matt Black	MDRA72M
1800mm Downrod Brushed Aluminium	MDRA72B
Premier Remote Control Kit	MPREMS
Premium Remote Control Kit	MPLCDS
Smart Remote Control Kit	MPWIFI

FEATURES

- Powerful and efficient 60W AC motor
- Low profile designed ideal for indoor applications
- Metal body, canopy and plywood blades (plus glass lens cover, light model only)
- Fully reversible for summer and winter mode
- 24W tricolour LED with 3 step switch dimming (light model only)
- Switchable colour temperature between 3000K, 4000K and 5000K (light model only)
- E27 light model available (globes not included)

DIMENSIONS



78 /// martecaustralia.com.au ///



79

RAZOR

Robust and modern



















FAN LED LIGHT



FEATURES


80


- Powerful and efficient 69W AC motor
- Slimline designed ideal for indoor applications
- Metal body, canopy and plywood blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode
- 15W tricolour LED with 3 step switch dimming (light model only)
- Switchable colour temperature between 3000K, 4000K and 5000K (light model only)

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	69W	69W
BLADE DIAMETER	1320mm (52")	1320mm (52")
AIR MOVEMENT m³/hr		
SPEED 1 (HIGHEST)	9,500m³/hr	9,500m³/hr
SPEED 2	7,240m³/hr	7,240m³/hr
SPEED 3 (LOWEST)	5,055m³/hr	5,055m³/hr
BLADE PITCH	12.5°	12.5°
LIGHTING WATTAGE / TYPE	-	28W LED
COLOUR TEMPERATURE	-	3000K / 4000K / 5000K
LUMEN OUTPUT	-	3300lm / 3550lm / 3400lm
ORDERING CODE	FAN ONLY	FAN LED LIGHT
WHITE	MRF134W	MRF1343W
MATT BLACK	MRF134M	-

ACCESSORIES	ORDERING CODE		
900mm Downrod White	MDRA36W		
900mm Downrod Matt Black	MDRA36M		
1800mm Downrod White	MDRA72W		
1800mm Downrod Matt Black	MDRA72M		
Premier Remote Control Kit	MPREMS		
Premium Remote Control Kit	MPLCDS		
Smart Remote Control Kit	MPWIFI		

DIMENSIONS





PRECISION

Coastal and tropical rated







FAN ONLY



LIGHT KIT*







Brushed Nickel/304

Stainless Steel/316

PRECISION

Coastal and tropical rated

SPECIFICATIONS	FAN ONLY		
POWER WATTAGE	75W	75W	75W
BLADE DIAMETER	1220mm (48")	1320mm (52")	1420mm (56")
AIR MOVEMENT m³/hr			
SPEED 1 (HIGHEST)	16,380m³/hr	18,960m³/hr	21,000m³/hr
SPEED 2	11,980m³/hr	13,050m³/hr	14,300m³/hr
SPEED 3 (LOWEST)	8,450m³/hr	9,520m³/hr	9,380m³/hr
BLADE PITCH		23°	
ORDERING CODE		FAN ONLY	
WHITE	MPF120WH	MPF130WH	MPF140WH
BRUSHED NICKEL / 304	MPF3042SS	MPF3043SS	MPF3044SS
STAINLESS STEEL / 316	MPF3162SS	MPF3163SS	MPF3164SS

FEATURES


- Powerful and efficient 75W AC motor
- Ideal for indoor and covered outdoor and tropical applications
- All metal body, canopy and blades
- Fully reversible for summer and winter mode
- E14 light kit available (sold separately and globes not included)

SPECIFICATIONS	FAN + LIGHT KIT*			
POWER WATTAGE	75W	75W	75W	
BLADE DIAMETER	1220mm (48") 1320mm (52") 14		1420mm (56")	
LIGHTING WATTAGE / TYPE		2x E14** lamp holder		
ORDERING CODE		FAN + LIGHT KIT*		
WHITE	MPF120WH + PLKWH*	MPF130WH + PLKWH*	MPF140WH + PLKWH*	
BRUSHED NICKEL/304	MPF3042SS + PLKBN*	MPF3043SS + PLKBN*	MPF3044SS + PLKBN*	
STAINLESS STEEL/316	MPF3162SS + PLKSS* MPF3163SS + PLKSS* MPF3164SS + PLKSS*			
*Light kit sold separately at addition	nal cost.			

^{**}Globe not included

ACCESSORIES	ORDERING CODE
900mm Downrod White	DREPO36W
900mm Downrod Brushed Nickel	DREPO36BN
900mm Downrod Stainless Steel	DRP36SS
1800mm Downrod White	DREPO72W
1800mm Downrod Brushed Nickel	DREPO72BN
1800mm Downrod Stainless Steel	DRP72SS
Premier Remote Control Kit	MPREMS
Premium Remote Control Kit	MPLCDS
Smart Remote Control Kit	MPWIFI
Precision Light Kit White	PLKWH
Precision Light Kit 304 Brushed Nickel	PLKBN
Precision Light Kit 316 Stainless Steel	PLKSS

DIMENSIONS



FAN ONLY

FAN LED LIGHT

/// martecaustralia.com.au martecaustralia.com.au ///



GOVERNOR

Industrial look

















86

- Powerful and efficient 70W AC motor
- Industrial look ideal for indoor and covered outdoor applications
- Metal body, canopy and ABS blades (plus PMMA lens cover, light model only)
- Fully reversible for summer and winter mode
- 15W tricolour LED with 3 step switch dimming (light model only)
- Switchable colour temperature between 3000K, 4000K and 5000K (light model only)

SPECIFICATIONS	FAN ONLY	FAN LED LIGHT
POWER WATTAGE	70W	70W
BLADE DIAMETER	1520mm (60")	1520mm (60")
AIR MOVEMENT m³/hr		
SPEED 1 (HIGHEST)	11,400m³/hr	11,400m³/hr
SPEED 2	10,220m³/hr	10,220m³/hr
SPEED 3 (LOWEST)	7,150m³/hr	7,150m³/hr
BLADE PITCH	13°	13°
LIGHTING WATTAGE / TYPE	-	15W LED
COLOUR TEMPERATURE	-	3000K / 4000K / 5000K
LUMEN OUTPUT	-	1510lm / 1760lm / 1720lm
RATED LIFETIME	-	35,000 hrs @ Ta25°C
ORDERING CODE	FAN ONLY	FAN LED LIGHT
OLD BRONZE / TEAK	MGF153OT	MGF1533OT

ACCESSORIES	ORDERING CODE
900mm Downrod Old Bronze	MDRA36O
1800mm Downrod Old Bronze	MDAR72O
Premier Remote Control Kit	MPREMS
Premium Remote Control Kit	MPLCDS
Smart Remote Control Kit	MPWIFI

DIMENSIONS





Dia 150mm

Dia 1520mm



/// martecaustralia.com.au martecaustralia.com.au ///





CEILING FANS ACCESSORIES

ADVANTAGES OF CEILING FANS ACCESSORIES

Remote Control

Remote controls allow you to change the fan speed with a touch

of a button.

Light Kit

Ceiling fan lights give you brightness while providing a relaxing cool breeze.

Downrod

Downrods provide convenience and better efficiency where the installation area has a high ceiling.

REMOTE CONTROL KITS/ WALL CONTROLLER













PREMIER REMOTE CONTROL KIT

FEATURES

- 1 year in-home warranty
- · Suitable for all AC ceiling fans
- 3 speed: high, medium and low
- Light on/off function
- . 2, 4 and 8 hour timer

90

- · 4 dip switches make 16 possible control channels
- · Radio frequency with range up to 10m
- · Supplied with 2x AAA batteries

PREMIUM LCD REMOTE CONTROL KIT

FEATURES

- 1 year in-home warranty
- Suitable for all AC ceiling fans
- 3 speed: high, medium and low
- Light on/off function
- 1-8 hour timer
- 4 dip switches make 16 possible control channels
- · Radio frequency with range up to 10m
- Supplied with 2x AAA batteries and wall mounting bracket

SMART REMOTE CONTROL KIT

FEATURES

- 1 year in-home warranty
- · Suitable for all AC ceiling fans
- 3 speed: high, medium and low
- · 3 ways control: remote, APP and voice
- · Light on/off function
- Advanced timer: 1-12hr via App, 2-8hr via remote
- · Radio frequency with range up to 10m
- Bluetooth backup when WiFi unavailable
- · Supplied with 2x AAA batteries and wall mounting bracket

ORDERING CODE

MPWIFI

INFRA-RED REMOTE CONTROL KIT

FEATURES

- . 1 year in-home warranty
- · Suitable for all AC ceiling fans
- . 3 speed: high, medium and low
- · Light on/off and delay function
- Supplied with 2x AAA batteries

DC CEILING **FAN WALL** CONTROL

FEATURES

- 1 year in-home warranty
- Suitable for non smart/WiFi DC ceiling fans only
- LCD touch screen
- 5 speed ceiling fan setting
- · Fan on/off function with timer
- Light on/off function
- Summer/winter reverse function

ORDERING CODE

MPREMS

ORDERING CODE

MPLCDS

ORDERING CODE

FSIREM

ORDERING CODE

MDCWALL

/// martecaustralia.com.au martecaustralia.com.au




DOWNROD LENGTH

Recommendations

Accessories

The ideal distance from the floor to fan blades is 210 cm to 270 cm.



92

DOWNRODS

Accessories

DC DOWNRODS

ORDERING CODE	DESCRIPTION	PRODUCT
MDRD36WS	900mm Downrod White Satin	All
MDRD36W	900mm Downrod White	All
MDRD36M	900mm Downrod Matt Black	All
MDRD36N	900mm Downrod Brushed Nickel	All
MDRD36B	900mm Downrod Brushed Aluminium	All
MDRD72WS	1800mm Downrod White Satin	All
MDRD72W	1800mm Downrod White	All
MDRD72M	1800mm Downrod Matt Black	All
MDRD72B	1800mm Downrod Brushed Aluminium	All
MDRDWIFI36W	900mm Downrod WiFi Matt White	NEW All Smart Range
MDRDWIFI36M	900mm Downrod WiFi Matt Black	NEW All Smart Range
MDRDWIFI36AB	900mm Downrod WiFi Antique Bronze	NEW Riviera
MDRDWIFI36OB	900mm Downroad WiFi Old Bronze	NEW Kingston
MDRDWIFI72W	1800mm Downrod WiFi Matt White	NEW All Smart Range
MDRDWIFI72M	1800mm Downrod WiFi Matt Black	NEW All Smart Range
MDRD36WST	Dia 25mm 900mm Downrod White Satin	Newport
MDRD36OT	Dia 25mm 900mm Downrod Old Bronze	Newport
MDRD36MT	Dia 25mm 900mm Downrod Matt Black	Newport
MDRD72WST	Dia 25mm 1800mm Downrod White Satin	Newport
MDRD72OT	Dia 25mm 1800mm Downrod Old Bronze	Newport
MDRD72MT	Dia 25mm 1800mm Downrod Matt Black	Newport

NB: Please select the colour that matches the corresponding ceiling fan colour.



AC DOWNRODS

ORDERING CODE	DESCRIPTION	PRODUCT
MDRA36WS	900mm Downrod White Satin	All
MDRA36W	900mm Downrod White	All
MDRA36O	900mm Downrod Old Bronze	All
MDRA36M	900mm Downrod Matt Black	All
MDRA72WS	1800mm Downrod White Satin	All
MDRA72W	1800mm Downrod White	All
MDRA72O	1800mm Downrod Old Bronze	All
MDRA72M	1800mm Downrod Matt Black	All
DREPO36W	900mm Downrod White	Precision
DREPO36BN	900mm Downrod Brushed Nickel	Precision
DRP36SS	900mm Downrod 316 Stainless Steel	Precision
DREPO72W	1800mm Downrod White	Precision
DREPO72BN	1800mm Downrod Brushed Nickel	Precision
DRP72SS	1800mm Downrod 316 Stainless Steel	Precision

NB: Please select the colour that matches the corresponding ceiling fan colour.



/// martecaustralia.com.au /// martecaustralia.com.au





We do more than you think









/// MARTEC Heating







Martec® is constantly developing and improving its products. All descriptions, illustrations, drawings and specifications in this publication present only general particulars and shall not form part of any contract. Air movements figures quoted are guide only. All measurements are in millimetres unless otherwise stated Specifications and imagery subject to change without prior notice. Last updated October 2023.



6 Austool Place Ingleburn NSW 2565 (02) 8778 7500 sales@martecltd.com.au

Opening Hours (Mon-Fri): Warehouse: 7:30am - 3:30pm Office: 8:00am - 4:00pm

www.martecaustralia.com.au







